


EUROCARD

TE Internal #: 5148468-1 Plug, Board-to-Board, 144 Position, 2.54 mm [.1 in] Centerline, Printed Circuit Board, 3 Row, Right Angle, 48 Column, Eurocard Connectors

View on TE.com >

Connectors > PCB Connectors > Backplane Connectors > Eurocard Connectors



Connector & Housing Type: Plug Connector System: Board-to-Board Termination Post & Tail Length: 2.64 mm [.104 in] Number of Positions: 144 Centerline (Pitch): 2.54 mm [.1 in]

Features



Product Type Features

Connector & Housing Type	Plug
Connector System	Board-to-Board
Connector & Contact Terminates To	Printed Circuit Board
DIN Size	Standard
DIN Level	II
Configuration Features	
Number of Positions	144
Number of Rows	3
PCB Mount Orientation	Right Angle
Number of Columns	48
Rows Loaded	А, В, С
Number of Signal Positions	144
Contact Features	
Contact Base Material	Copper Alloy

C For support call+1 800 522 6752

5148468-1

Plug, Board-to-Board, 144 Position, 2.54 mm [.1 in] Centerline, Printed Circuit Board, 3 Row, Right Angle, 48 Column, Eurocard Connectors



Contact Type	Pin
Contact Current Rating (Max)	1.5 A
Termination Features	
Termination Method to PCB	Through Hole - Solder
Termination Post & Tail Length	2.64 mm[.104 in]
Mechanical Attachment	
Connector Mounting Type	Board Mount
Mating Alignment Type	Polarization
Mating Alignment	With
PCB Mount Retention	Without
Housing Features	
Housing Material	Polyester GF
Centerline (Pitch)	2.54 mm[.1 in]
Dimensions	
Row-to-Row Spacing	2.54 mm[.1 in]
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]

Operation/Application

Circuit Application	Signal
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Box
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU RoHS Directive 2011/65/EU EU ELV Directive 2000/53/EC	Compliant Compliant

5148468-1

Plug, Board-to-Board, 144 Position, 2.54 mm [.1 in] Centerline, Printed Circuit Board, 3 Row, Right Angle, 48 Column, Eurocard Connectors



Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Wave solder capable to 265°C


Halogen Content

Solder Process Capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 5148460-1 ASSY,RECPT,EUROCARD,TYPE C,L-FREE,144/15


Customers Also Bought



5148468-1

Plug, Board-to-Board, 144 Position, 2.54 mm [.1 in] Centerline, Printed Circuit Board, 3 Row, Right Angle, 48 Column, Eurocard Connectors





Documents

Product Drawings ASSY, PIN, EUROCARD, TYPE C, LEAD-FREE, 144/1

English

CAD Files

Customer View Model ENG_CVM_CVM_5148468-1_O.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_5148468-1_O.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_5148468-1_O.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English

Agency Approvals

UL

English