51864-4 - ACTIVE


PIDG

TE Internal #: 51864-4

Closed Ring Tongue Terminal, 16 – 14 AWG, #10 Stud, 5 mm [.197 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated

View on TE.com >

Terminals & Splices > Ring Terminals > PIDG Ring Tongue Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 2050 – 5180 CMA

Stud Size: **#10**

All PIDG Ring Tongue Terminals (410)



Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal				
Stud Size	#10				
Sealable	No				
Wire Insulation Support Retention Type	Insulation Support				
Configuration Features					
Number of Holes	1				
Electrical Characteristics					
Voltage Rating	300 V				
Body Features					
Product Weight	.967 g				
Insulation Sleeve Color	Blue				
Stripe Color	Blue				
Contact Features					

Closed Ring Tongue Terminal, 16 – 14 AWG, #10 Stud, 5 mm [.197 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated



Barrel Type	Closed				
Terminal Orientation	Straight				
Terminal Plating Material	Tin				
Mechanical Attachment					
Wire Insulation Support	With				
Dimensions					
Wire Size	2050 – 5180 CMA				
Stud Diameter	5 mm[.197 in]				
Tongue Thickness	.79 mm[.031 in]				
Product Length	21.44 mm[.844 in]				
Compatible Insulation Diameter (Max)	3.81 mm[.15 in]				
Compatible Insulation Diameter Range	2.67 – 3.81 mm[.105 – .15 in]				
Usage Conditions					
Insulation Option	Partially Insulated				
Operation/Application					
Compatible With Wire Base Material	Copper				
Compatible With Wire Plating Material	Tin				

Industry Standards

Government Qualified Terminal	No					
Packaging Features						
Packaging Quantity	5000					
Packaging Method	Tape Mounted					
Product Compliance For compliance documentation, visit the product page on TE.com>						
EU RoHS Directive 2011/65/EU	Compliant					
EU ELV Directive 2000/53/EC	Compliant					
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold					
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC					

Closed Ring Tongue Terminal, 16 – 14 AWG, #10 Stud, 5 mm [.197 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated



Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free


Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Also in the Series | PIDG




Closed Ring Tongue Terminal, 16 – 14 AWG, #10 Stud, 5 mm [.197 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated





Customers Also Bought



TE Part #2071583-5

E TE

TE Part #60619-7

TE Part #8-1393104-3

TE Part #CB5349-000

ECK100BA5AAA	CMNL SOK AUPHBZ L/P	KRPA-14DG-125=KRPA	SST-48-11/FR/97
TE Part #1423155-5 GPD=RELAY, 125VDC	TE Part #PF0001822 P011NT_5K1% 4.7X_68 2N		

Documents

Product Drawings TERMINAL,PIDG R 16-14 10

English

CAD Files

Customer View Model

ENG_CVM_CVM_51864-4_AF.2d_dxf.zip

English

Customer View Model

C For support call+1 800 522 6752

Closed Ring Tongue Terminal, 16 – 14 AWG, #10 Stud, 5 mm [.197 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated



ENG_CVM_CVM_51864-4_AF.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_51864-4_AF.3d_stp.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

UL Report

English