51864-8 - ACTIVE


PIDG

TE Internal #: 51864-8

Closed Ring Tongue Terminal, 14 AWG, #6 / M3.5 Stud, 3.68 mm [. 145 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated, PIDG

View on TE.com >

Terminals & Splices > Ring Terminals > PIDG Ring Tongue Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 4234 CMA

Stud Size: #6, M3.5

All PIDG Ring Tongue Terminals (410)



Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal					
Stud Size	#6, M3.5					
Sealable	No					
Wire Insulation Support Retention Type	Insulation Restriction					
Configuration Features						
Number of Holes	1					
Electrical Characteristics						
Voltage Rating	300 V					
Body Features						
Product Weight	1.028 g					
Insulation Sleeve Color	Blue					
Stripe Color	Green					
Contact Features						

Closed Ring Tongue Terminal, 14 AWG, #6 / M3.5 Stud, 3.68 mm [.145 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated, PIDG



Military Part Class	Class I				
Barrel Type	Closed				
Terminal Orientation	Straight				
Terminal Plating Material	Tin				
Mechanical Attachment					
Wire Insulation Support	With				
Dimensions					
Wire Size	4234 CMA				
Stud Diameter	3.68 mm[.145 in]				
Tongue Thickness	.79 mm[.031 in]				
Product Length	23 mm[.906 in]				
Compatible Insulation Diameter (Max)	3.3 mm[.13 in]				
Compatible Insulation Diameter Range	1.98 – 3.3 mm[.078 – .13 in]				
Usage Conditions					
Insulation Option	Partially Insulated				
Operation/Application					
Compatible With Wire Base Material	Copper				

Compatible With Wire Plating Material

Tin

Industry Standards

Government Qualified Terminal	Yes				
Packaging Features					
Packaging Quantity	1000				
Packaging Method	Loose Piece				
Product Compliance For compliance documentation, visit the product page on TE.com>					
EU RoHS Directive 2011/65/EU	Compliant				
EU ELV Directive 2000/53/EC	Compliant				
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold				
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247)				

Closed Ring Tongue Terminal, 14 AWG, #6 / M3.5 Stud, 3.68 mm [.145 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated, PIDG



Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Not applicable for solder process capability


Halogen Content

Solder Process Capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 525691 TE Part # 59824-1 TE Part # 47807-1 TE Part # 47806-2 DAHT PG PIDG 16-14 ASSY TETRA-CRIMP PIDG PG FASTON 22- 10 ASSY DIES PIDG 16-14 DIE SET DIES PIDG 22-16 DIE SET
--




Closed Ring Tongue Terminal, 14 AWG, #6 / M3.5 Stud, 3.68 mm [.145 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated, PIDG







Also in the Series | PIDG



Ring Terminals(588)	Spade Terminals(228)	Special Purpose Terminals(1)	Splices(41)

Customers Also Bought





Closed Ring Tongue Terminal, 14 AWG, #6 / M3.5 Stud, 3.68 mm [.145 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated, PIDG



Documents

Product Drawings TERMINAL, PIDG R IR 14 6

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_51864-8_AF.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_51864-8_AF.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_51864-8_AF.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Agency Approvals CSA Certificate

English