
52263 - ACTIVE

PLASTI-GRIP

TE Internal #: 52263 Closed Ring Tongue Terminal, 8 AWG, #10 Stud, 5 mm [.197 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated, PLASTI-GRIP

View on TE.com >

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal


Wire Size: 13100 – 20800 CMA

Stud Size: **#10**

Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal	
Stud Size	#10	
Sealable	No	
Wire Insulation Support Retention Type	Insulation Support	
Configuration Features		
Number of Holes	1	
Electrical Characteristics		
Voltage Rating	600 V	
Contact Features		
Barrel Type	Closed	
Terminal Orientation	Straight	
Terminal Plating Material	Tin	
Mechanical Attachment		
Wire Insulation Support	With	
Dimensions		





Closed Ring Tongue Terminal, 8 AWG, #10 Stud, 5 mm [.197 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated, PLASTI-GRIP



Wire Size	13100 – 20800 CMA	
Stud Diameter	5 mm[.197 in]	
Tongue Thickness	1.02 mm[.04 in]	
Product Length	4.75 mm[.187 in]	
Compatible Insulation Diameter (Max)	9.14 mm[.36 in]	
Compatible Insulation Diameter Range	9.14 mm[.36 in]	
Usage Conditions		
Insulation Option	Partially Insulated	
Operation/Application		
Operation/Application Compatible With Wire Base Material	Copper	
	Copper Tin	
Compatible With Wire Base Material		
Compatible With Wire Base Material Compatible With Wire Plating Material		
Compatible With Wire Base Material Compatible With Wire Plating Material Industry Standards	Tin	
Compatible With Wire Base Material Compatible With Wire Plating Material Industry Standards Government Qualified Terminal	Tin	

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products

Closed Ring Tongue Terminal, 8 AWG, #10 Stud, 5 mm [.197 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated, PLASTI-GRIP



will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts

	THE TE	TE TE	
TE Part # 59974-1 HYP8 8-2AWG MANUAL TOOL-No Dies	TE Part # 1901006-1 ASSEMBLY, TERMINYL DIE #8	TE Part # 48752-1 HYP8 PLASTI-GRIP 8AWG 69051 DIE SET	TE Part # 69959 HHHT AMPLI-BOND PG 8 ASSY
= TE	-E TE	-E TE	
TE Part # 1490534-1 HYP10 PLASTI-GRIP 8AWG DIE SET	TE Part # 1490597-1 HYP10 TERMINYL 8AWG DIE SET	TE Part # 47820 HYP8 TERMINYL 8AWG DIE SET	

Also in the Series | PLASTI-GRIP


			and the second
Compression Connectors(3)	Crimp Wire Pins, Tabs & Ferrules(20)	Ring Terminals(310)	Spade Terminals(158)



Customers Also Bought

Closed Ring Tongue Terminal, 8 AWG, #10 Stud, 5 mm [.197 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated, PLASTI-GRIP





TE Part #53128-1 TERMINAL,SOLIS SPR SPD 12-10 TE Part #301201 SPRING

Documents

Product Drawings TERMINAL R PG 8 10

English

CAD Files

Customer View Model ENG_CVM_CVM_52263_AA.2d_dxf.zip

English

3D PDF

3D

Customer View Model ENG_CVM_CVM_52263_AA.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_52263_AA.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

C For support call+1 800 522 6752

Closed Ring Tongue Terminal, 8 AWG, #10 Stud, 5 mm [.197 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated, PLASTI-GRIP



Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

UL Report

English

UL Report

English