


TE Internal #: 52925-1 Spring Spade Terminal, 26 – 22 AWG, #8 / M4 Stud, 4.17 mm [.164 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated

View on TE.com >

Terminals & Splices > Spade Terminals > PIDG Short Spring Spade Tongue Terminals



Spade Terminal Type: Spring Spade Terminal

Wire Size: 202 – 810 CMA

Stud Size: #8, M4

All PIDG Short Spring Spade Tongue Terminals (38)

Features



Product Type Features			
Stud Size	#8, M4		
Sealable	No		
Wire Insulation Support Retention Type	Insulation Support		
Electrical Characteristics			
Voltage Rating	300 V		
Body Features			
Insulation Sleeve Color	Yellow		
Stripe Color	Yellow		
Contact Features			
Spade Terminal Type	Spring Spade Terminal		
Barrel Type	Closed		
Terminal Orientation	Straight		

Straight

Tin

Mechanical Attachment

Terminal Plating Material

C For support call+1 800 522 6752

52925-1

Spring Spade Terminal, 26 – 22 AWG, #8 / M4 Stud, 4.17 mm [.164 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated



Wire Insulation Support	With				
Dimensions					
Wire Size	202 – 810 CMA				
Stud Diameter	4.17 mm[.164 in]				
Tongue Thickness	.5 mm[.02 in]				
Product Length	20 mm[.787 in]				
Compatible Insulation Diameter (Max)	2.08 mm[.082 in]				
Compatible Insulation Diameter Range	1.27 – 2.08 mm[.05 – .082 in]				
Usage Conditions					
Insulation Option	Partially Insulated				
Operation/Application					
Compatible With Wire Base Material	Copper				
Compatible With Wire Plating Material	Tin				
Industry Standards					
Government Qualified Terminal	No				
Packaging Features					
Packaging Quantity	5000				

Packaging Method

Tape Mounted

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant		
EU ELV Directive 2000/53/EC	Compliant		
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold		
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC		
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free		
Solder Process Capability	Not applicable for solder process capability		
Product Compliance Disclaimer			

C For support call+1 800 522 6752

52925-1

Spring Spade Terminal, 26 – 22 AWG, #8 / M4 Stud, 4.17 mm [.164 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought









TE	= TE	-ETE	I II TE
TE Part #1623108-1	TE Part #2-33462-1	TE Part #2-326861-1	TE Part #1623118-1
CRG0805 1% 12K	TERM, SOLIS, R, 8, M8(5/16)	TERMINAL,PIDG SPD 22-16 6	CRG0805 1% 15K
		IDUI IDUI IDUI IDUI IDUI IDUI IDUI IDUI	
TE Part #5-146280-3	TE Part #440564-000	TE Part #1-2176341-4	TE Part #292303-1
03 MODII HDR SRST B/A .100CL	7522A1311-0	CRGCQ 0805 120R 1%	Std USB Type A, R/A, T/H

52925-1

Spring Spade Terminal, 26 – 22 AWG, #8 / M4 Stud, 4.17 mm [.164 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Partially Insulated





Documents

Product Drawings TERMINAL, PIDG SPR SPD 26-22 8

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_52925-1_L.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_52925-1_L.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_52925-1_L.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Instruction Sheets

AMP* PIDG* (VINYL) & PLASTI-GRIP* SHORT SPRING SPADE TERMINALS FOR BAR

English

Instruction Sheet (U.S.)

English