




Terminals & Splices > Spade Terminals



Spade Terminal Type: **Spring Spade Terminal**

Wire Size: **5180 – 13100 CMA**

Stud Size: **#6, M3.5**

Features

Product Type Features

|  |                        |
|--|------------------------|
| Stud Size                              | #6, M3.5               |
| Sealable                               | No                     |
| Wire Insulation Support Retention Type | Non-Insulation Support |

Contact Features

|                           |                       |
|---------------------------|-----------------------|
| Spade Terminal Type       | Spring Spade Terminal |
| Barrel Type               | Closed                |
| Terminal Orientation      | Straight              |
| Terminal Plating Material | Tin                   |

Mechanical Attachment

|                         |         |
|-------------------------|---------|
| Wire Insulation Support | Without |
|-------------------------|---------|

Dimensions

|                  |                   |
|------------------|-------------------|
| Wire Size        | 5180 – 13100 CMA  |
| Stud Diameter    | 3.51 mm[.138 in]  |
| Tongue Thickness | .99 mm[.039 in]   |
| Product Length   | 16.15 mm[.636 in] |



|                        |                  |
|------------------------|------------------|
| Barrel Inside Diameter | 3.28 mm[.129 in] |
|------------------------|------------------|

Usage Conditions

|                   |             |
|-------------------|-------------|
| Insulation Option | Uninsulated |
|-------------------|-------------|

Operation/Application

|                                       |        |
|---------------------------------------|--------|
| Compatible With Wire Base Material    | Copper |
| Compatible With Wire Plating Material | Tin    |

Industry Standards

|                               |    |
|-------------------------------|----|
| Government Qualified Terminal | No |
|-------------------------------|----|

Packaging Features

|                    |             |
|--------------------|-------------|
| Packaging Quantity | 500         |
| Packaging Method   | Loose Piece |

Product Compliance

For compliance documentation, visit the product page on TE.com>

|   |  |
|---|--|
| EU RoHS Directive 2011/65/EU                  | Compliant  |
| EU ELV Directive 2000/53/EC                   | Compliant  |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold  |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JAN 2025 (247)<br>Candidate List Declared Against: JUNE 2024 (241)<br>Does not contain REACH SVHC |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free  |
| Solder Process Capability                     | Not applicable for solder process capability   |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts

TE Part # 47814  
DIES SOLIS 12-10 DIE SET

TE Part # 58546-1  
PC 22-10 SOLISSPICE SPL I SHT

TE Part # 169400  
CERTI-LOK FRAME W/O DIES

TE Part # 49935  
DAHT SOLIS 22-10 ASSY

TE Part # 58545-3  
SDE DIE ASSY. 22-10 SOLISTRAND

TE Part # 58545-1  
SOLISTRAND 10-22 DIE ASSY

Customers Also Bought

TE Part #1SNA114825R0500  
SCFM6

TE Part #34487  
TERMINAL,SOLIS R 14-12 1/4

TE Part #34173  
TERMINAL,PG R 12-10 3/8

TE Part #30692  
TERM, BUDG, R 22-18 8

TE Part #1546310-6  
6P .563" DR BARRIER STRIP

TE Part #1SNA115260R0300  
M6/8.1

TE Part #1SNA116987R0200  
FEMR8

TE Part #321869  
TERMINAL,SOLIS R 2/0 1/4

TE Part #32860  
TERMINAL,BUDG R 26-22 10

TE Part #1SNA173611R2100  
BJM10



Documents

Product Drawings

TERMINAL,SOLIS SPR SPD 12-10 6

English

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_53126-1\_C.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_53126-1\_C.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_53126-1\_C.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

UL Report

English