## **PIDG**

TE Internal #: 53425-1

Closed Ring Tongue Terminal, 12 – 10 AWG, #10 Stud, 5 mm [.197

in] Stud Diameter, Closed Barrel, Straight, Tin-Lead Plating,

Partially Insulated, PIDG

View on TE.com >



Terminals & Splices > Ring Terminals > PIDG Radiation Resistant C Rings/Spades











Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 5180 – 13100 CMA

Stud Size: #10

All PIDG Radiation Resistant C Rings/Spades (36)

## **Features**

## **Product Type Features**

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#10
Sealable	No
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	
Number of Holes	1
Body Features	
Insulation Sleeve Color	Natural
Stripe Color	Yellow

## **Contact Features**

Military Part Class	Class I
Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin-Lead



## Mechanical Attachment

Wire Insulation Support	With
Dimensions	
Wire Size	5180 – 13100 CMA
Stud Diameter	5 mm[.197 in]
Tongue Thickness	1.07 mm[.042 in]
Product Length	27.5 mm[1.083 in]
Compatible Insulation Diameter (Max)	5.84 mm[.23 in]
Compatible Insulation Diameter Range	3.81 – 5.84 mm[.15 – .23 in]
Usage Conditions	
Insulation Option	Partially Insulated
Insulation Option  Operation/Application	Partially Insulated
	Partially Insulated  Copper
Operation/Application	
Operation/Application  Compatible With Wire Base Material	Copper
Operation/Application  Compatible With Wire Base Material  Compatible With Wire Plating Material	Copper
Operation/Application  Compatible With Wire Base Material  Compatible With Wire Plating Material  Industry Standards	Copper Tin
Operation/Application  Compatible With Wire Base Material  Compatible With Wire Plating Material  Industry Standards  Government Qualified Terminal	Copper Tin

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (13% in 4690948374) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.



## Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

# Compatible Parts



TETRA-CRIMP PIDG PG FASTON 22-10 ASSY























Also in the Series | PIDG





Compression Connectors(17)



Crimp Wire Pins, Tabs & Ferrules(41)




Hand Crimping Tools(2)



Knife Disconnects(11)



Ring Terminals(588)



Spade Terminals(228)



Special Purpose Terminals(1)



Splices(41)

# Customers Also Bought



TE Part #53410-1 TERMINAL,PIDG PVF2 R 22-16 1/4



PIDG Radiation Resistant C Rings /Spades

# **Documents**

## **Product Drawings**

TERMINAL, PIDG PVF2 R 12-10 10

English

## **CAD Files**

**Customer View Model** 

ENG\_CVM\_53425-1\_R1.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_53425-1\_R1.3d\_stp.zip

English

**Customer View Model** 

ENG\_CVM\_53425-1\_R1.2d\_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Closed Ring Tongue Terminal, 12 – 10 AWG, #10 Stud, 5 mm [.197 in] Stud Diameter, Closed Barrel, Straight, Tin-Lead Plating, Partially Insulated, PIDG

