


SOLISTRAND

TE Internal #: 53831-2 Spring Spade Terminal, 22 AWG, #8 / M4 Stud, 4.17 mm [.164 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Uninsulated View on TE.com >



Terminals & Splices > Spade Terminals



Spade Terminal Type: Spring Spade Terminal

Wire Size: 509 – 3260 CMA

Stud Size: **#8, M4**

Features

Product Type Features

Stud Size

Sealable	No				
Wire Insulation Support Retention Type	Non-Insulation Support				
Contact Features					
Spade Terminal Type	Spring Spade Terminal				
Barrel Type	Closed				
Terminal Orientation	Straight				
Terminal Plating Material	Tin				
Mechanical Attachment					
Wire Insulation Support	Without				
Dimensions					
Wire Size	509 – 3260 CMA				
Stud Diameter	4.17 mm[.164 in]				
Tongue Thickness	.79 mm[.031 in]				
Product Length	16.18 mm[.637 in]				
Barrel Inside Diameter	3.58 mm[.141 in]				

C For support call+1 800 522 6752

53831-2

Spring Spade Terminal, 22 AWG, #8 / M4 Stud, 4.17 mm [.164 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Uninsulated



Usage Conditions

Insulation Option	Uninsulated					
Operation/Application						
Compatible With Wire Base Material	Copper					
Compatible With Wire Plating Material	Tin					
Industry Standards						
Government Qualified Terminal	No					
Packaging Features						
Packaging Quantity	5000					
Packaging Method	Tape Mounted					
Product Compliance For compliance documentation, visit the product page on TE.com>						
EU RoHS Directive 2011/65/EU	Compliant					
EU ELV Directive 2000/53/EC	Compliant					
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold					
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247)					

(247)

Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Not applicable for solder process capability

Halogen Content

Solder Process Capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

53831-2

Spring Spade Terminal, 22 AWG, #8 / M4 Stud, 4.17 mm [.164 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Uninsulated



Compatible Parts






TE Part # 58546-1 PC 22-10 SOLISSPICE SPL I SHT TE Part # 58545-3 SDE DIE ASSY. 22-10 SOLISTRAND




TE Part # 58545-1 SOLISTRAND 10-22 DIE ASSY



TE Part # 47812 DIES SOLIS 22-16 DIE SET



Customers Also Bought



TE Part #53831-1 SOLIS SP SPD 22-16COM22-18MIL8	TE Part #3-520338-2 ULTRA-FAST 187 ASY REC 16-14 AWG TPBR	TE Part #328730 SPLICE,N CE 22-10	TE Part #130599P045 ES2000-NO.4-B7-0-38MM
Are the			

TE Part #640052-1 RING 18-14 AWG SST TE Part #794617-4 4POS, MICRO MNL, RCPT HSG

TE Part #794617-6 6POS, MICRO MNL, RCPT HSG

ETE TE Part #2098436-9

Backshell,AS16,4P,90deg,NC12,LP,Cap



53831-2

Spring Spade Terminal, 22 AWG, #8 / M4 Stud, 4.17 mm [.164 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Uninsulated



Documents

Product Drawings SOLIS SP SPD 22-16COM22-18MIL8

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_53831-2_D.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_53831-2_D.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_53831-2_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Digital Data Sheet

English

Instruction Sheets Instruction Sheet (U.S.)

English