


PLASTI-GRIP

TE Internal #: 54753-1

Closed Ring Tongue Terminal, 6 AWG, #10 Stud, 5 mm [.197 in] Stud Diameter, Closed Barrel, Right Angle, Tin Plating, Partially Insulated, PLASTI-GRIP

View on TE.com >

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal


Wire Size: 20800 - 33100 CMA

Stud Size: **#10**

Features

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#10
Sealable	No
Wire Insulation Support Retention Type	Insulation Support
Electrical Characteristics	
Voltage Rating	600 V
Contact Features	
Barrel Type	Closed
Terminal Orientation	Right Angle
Terminal Plating Material	Tin
Mechanical Attachment	
Wire Insulation Support	With
Dimensions	
Wire Size	20800 – 33100 CMA
Stud Diameter	5 mm[.197 in]





Closed Ring Tongue Terminal, 6 AWG, #10 Stud, 5 mm [.197 in] Stud Diameter, Closed Barrel, Right Angle, Tin Plating, Partially Insulated, PLASTI-GRIP



Tongue Thickness	1.14 mm[.045 in]
Compatible Insulation Diameter (Max)	11.07 mm[.436 in]
Compatible Insulation Diameter Range	11.07 mm[.436 in]
Usage Conditions	
Insulation Option	Partially Insulated
Operation/Application	
Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin
Industry Standards	
Government Qualified Terminal	No
Packaging Features	
Packaging Quantity	100
Packaging Method	Loose Piece

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive	2011/65/EU
-------------------	------------

Compliant

EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides

Closed Ring Tongue Terminal, 6 AWG, #10 Stud, 5 mm [.197 in] Stud Diameter, Closed Barrel, Right Angle, Tin Plating, Partially Insulated, PLASTI-GRIP




on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | PLASTI-GRIP






Customers Also Bought



Closed Ring Tongue Terminal, 6 AWG, #10 Stud, 5 mm [.197 in] Stud Diameter, Closed Barrel, Right Angle, Tin Plating, Partially Insulated, PLASTI-GRIP







Documents

Product Drawings TERMINAL R 90 DEG PG 6 10

English

CAD Files 3D PDF

3D

Customer View Model ENG_CVM_CVM_54753-1_M_c-54753-1-m.2d_dxf.zip

English

Customer View Model

```
ENG_CVM_CVM_54753-1_M_c-54753-1-m.3d_igs.zip
```

English

Customer View Model

```
ENG_CVM_CVM_54753-1_M_c-54753-1-m.3d_stp.zip
```

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English

Instruction Sheets Instruction Sheet (U.S.)

English

Agency Approvals UL Report

Closed Ring Tongue Terminal, 6 AWG, #10 Stud, 5 mm [.197 in] Stud Diameter, Closed Barrel, Right Angle, Tin Plating, Partially Insulated, PLASTI-GRIP



English