# 5525DSO-SB005GS V ACTIVE

#### MEAS | MEAS MS5525DSO

TE Internal #: 5525DSO-SB005GS

Digital Pressure and Altimeter Sensor Modules, Gauge, 5 psi, 24 bit

ADC, ±0.5 %FSS Pressure Accuracy, 1.8 – 3.6 V Supply Voltage

Range, MEAS MS5525DSO

View on TE.com >



Sensors > Pressure Sensors > Board Mount Pressure Sensors > DIGITAL SMALL OUTLINE PRESSURE SENSOR



Pressure Sensor Type: Digital Pressure and Altimeter Sensor Modules

Pressure Type: Gauge

Proof Pressure Range: 60 psi
Output Signal Type: 24 bit ADC
Pressure Accuracy: ±0.5 %FSS

#### All DIGITAL SMALL OUTLINE PRESSURE SENSOR (11)

### **Features**

### **Product Type Features**

Leg Style	Gull Wing
Sensor Package	SOIC-14
Pressure Sensor Type	Digital Pressure and Altimeter Sensor Modules
Pressure Type	Gauge
Electrical Characteristics	
Supply Voltage Range	1.8 – 3.6 V
Dimensions	
Product Width	7.9 mm[.311 in]
Product Length	12.5 mm[.492 in]
Product Height	9.7 mm[.381 in]

-40 - 125 °C[-40 - 257 °F]

I<sup>2</sup>C and SPI (Mode 0, 3)

60 psi

**Usage Conditions** 

Operation/Application

Proof Pressure Range

Output Interface

Operating Temperature Range



Output Signal Type	24 bit ADC
Pressure Accuracy	±0.5 %FSS
Packaging Features	
Sensor Port Configuration	Single Barb

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts



Also in the Series | MEAS MS5525DSO





# Customers Also Bought





















## **Documents**

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_5525DSO-SB005GS\_B.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_5525DSO-SB005GS\_B.3d\_igs.zip

Digital Pressure and Altimeter Sensor Modules, Gauge, 5 psi, 24 bit ADC,  $\pm 0.5$  %FSS Pressure Accuracy, 1.8 – 3.6 V Supply Voltage Range, MEAS MS5525DSO



English

**Customer View Model** 

ENG\_CVM\_CVM\_5525DSO-SB005GS\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

MS5525DSO

English

**Product Specifications** 

MS5525DSO Series Surface Models

English