RNF-3000-6/2-2-SP - ACTIVE



RAYCHEM | RAYCHEM RNF-3000

TE Internal #: 5677644002

Heat Shrink Tubing, Red, 3:1, Single Wall, Shrinks To 2 mm [.079 in], Irradiated Modified Polyolefin, 6 mm [.236 in] Expanded Inside,

RAYCHEM RNF-3000

View on TE.com >



Heat Shrink Tubing > RNF-3000 Heat Shrink Tubing





Tubing Product Type: Heat Shrink Tubing

Primary Product Color: Red

Shrink Ratio: 3:1

Wall Type: Single Wall

Recovered Inside Diameter (Max): 2 mm [.079 in]

All RNF-3000 Heat Shrink Tubing (209)

Features

Product Type Features	
Tubing Product Type	Heat Shrink Tubing
Wall Type	Single Wall
Electrical Characteristics	
Operating Voltage (Max)	.6 kV
Body Features	
Fluid Type	Gasoline, Hydraulic Fluid, Lubricating Oil, Water
Primary Product Color	Red
Primary Product Color Shrink Ratio	Red 3:1
Shrink Ratio	3:1
Shrink Ratio Primary Product Material	3:1 Irradiated Modified Polyolefin
Shrink Ratio Primary Product Material Flexibility	3:1 Irradiated Modified Polyolefin
Shrink Ratio Primary Product Material Flexibility Dimensions	3:1 Irradiated Modified Polyolefin Flexible

6 mm[.236 in]

Expanded Inside Diameter (Min)



Tubing Size Range	2 – 6 mm[.079 – .236 in]
Usage Conditions	
Shrink Temperature (Min)	80 °C
Tubing Flammability Type	Flame-Retardant
Operating Temperature Range	-55 – 135 °C
Recovery Temperature	120 °C
Operation/Application	
Mechanical Resistance	Abrasion, Fluids, Mechanical Damage, Strain Relief
Product Availability	
Applicable Region	Global
Packaging Features	
Packaging Method	Box
Other	
Meets Low Outgassing Requirements	No
Product Source	Czech Republic

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part




numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



Also in the Series | RAYCHEM RNF-3000







Customers Also Bought




















Documents

Product Drawings

RNF-3000-6/2-2-SP

English

Datasheets & Catalog Pages

Measuring_Single_Wall_Tubing

English

Selecting_Correct_Tubing_1216

English

RNF-300 Tubing

English

Product Specifications

Application Specification

English