
569025-1 <

CHAMP | CHAMP Docking Connectors TE Internal #: 569025-1 Strain Relief Cover, 64 Position, CHAMP Docking Connectors View on TE.com >



Connectors > Connector Accessories > Connector Caps & Covers



Connector Cover Type: Strain Relief Cover

Number of Positions: 64

Operating Temperature (Max): 105 °C [221 °F]

Operating Temperature Range: -55 – 105 °C [-67 – 221 °F]

Features

Product Type Features

Connector Cover Type	Strain Relief Cover						
Configuration Features							
Number of Positions	64						
Mechanical Attachment							
Strain Relief	With						

Housing Features

Compatible With Connector Shape	D-Shaped							
Usage Conditions								
Operating Temperature (Max)	105 °C[221 °F]							
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]							
Packaging Features								
Packaging Method	Box, Kit, Package							
Packaging Quantity	100							
Product Compliance								
For compliance documentation, visit the product page on TE.com>								
EU RoHS Directive 2011/65/EU	Compliant							
EU ELV Directive 2000/53/EC	Compliant							
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold							
EU REACH Regulation (EC) No. 1907/2006								

Strain Relief Cover, 64 Position, CHAMP Docking Connectors



Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Halogen Content

Solder Process Capability

Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | CHAMP Docking Connectors



569025-1

Strain Relief Cover, 64 Position, CHAMP Docking Connectors





Customers Also Bought





ASSY,RCPT,64 POSN,RTANG,PCB	CRIMP SNAP RCPT ASSY,SZ 3	ASSY, PLUG, 64 POS, VERT MTG	D-150-0175

TE Part #605704-ZZ

CONT SKT.SIZE 24.

Documents

Product Drawings COVR,KIT,180DEG,64POS,0.610 CA

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_569025-1_C.2d_dxf.zip

569025-1

Strain Relief Cover, 64 Position, CHAMP Docking Connectors



English Customer View Model ENG_CVM_CVM_569025-1_C.3d_igs.zip English

Customer View Model

ENG_CVM_CVM_569025-1_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English