## AMPLIMITE | AMPLIMITE Kit


TE Internal #: 5745652-4

TE Internal Description: DIECAST STRAIN RELIEF KIT,SZ 2

View on TE.com >



Connectors > Connector Accessories > Connector Strain Relief



Strain Relief Accessory Type: Cable Clamp Kit

Primary Product Material: Zinc

Compatible With Connector Shell Size: 2

Shielded: Yes

Number of Positions: 15

### **Features**

#### **Product Type Features**

Froduct Type reatures	
Strain Relief Accessory Type	Cable Clamp Kit
Configuration Features	
Number of Positions	15
Body Features	
Primary Product Plating Material	Nickel over Copper
Primary Product Material	Zinc
Mechanical Attachment	
Thread Size	4-40
Housing Features	
Compatible With Connector Shape	D-Shaped
Body Orientation	Straight
Dimensions	
Compatible Insulation Diameter Range	5.72 mm[.225 in]
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Operation/Application	
Compatible With Connector Shell Size	2
Shielded	Yes



#### **Packaging Features**

Packaging Method	Bag
Packaging Quantity	1

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2023 (233) SVHC > Threshold: Pb (.35% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


# Also in the Series | AMPLIMITE Kit












# Customers Also Bought















# **Documents**

**Product Drawings** 

DIECAST STRAIN RELIEF KIT,SZ 2

English

**CAD Files** 

3D PDF

English

**Customer View Model** 

ENG\_CVM\_5745652-4\_O.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_5745652-4\_O.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_5745652-4\_O.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.



Datasheets & Catalog Pages

AMPLIMITE Subminiature D Connectors - Cable Connectors

English

AMPLIMITE Cable Connectors and Shielding Hardware Kits QRG

English

**Instruction Sheets** 

Instruction Sheet (U.S.)

English