



Connectors > Connector Accessories > Connector Strain Relief



Strain Relief Accessory Type: Cable Clamp Kit

Primary Product Material: ABS

Primary Product Color: Black

Compatible With Connector Shell Size: 5

Shielded: No

Features

Product Type Features

Strain Relief Accessory Type	Cable Clamp Kit
------------------------------	-----------------

Body Features

Cable Exit Angle	180°
Primary Product Material	ABS
Primary Product Color	Black

Mechanical Attachment

Thread Size	4-40
-------------	------

Housing Features

Compatible With Connector Shape	D-Shaped
Body Orientation	Straight

Dimensions

Compatible Insulation Diameter Range	6.48 – 11.94 mm[.255 – .47 in]
--------------------------------------	--------------------------------

Operation/Application

Compatible With Connector Shell Size	5
--------------------------------------	---



Shielded

No

Packaging Features

Packaging Method	Kit
Packaging Quantity	1

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts





Also in the Series | **AMPLIMITE Kit**

Connector Caps & Covers(2)	Connector Hardware(92)	Connector Seals & Cavity Plugs(4)	Connector Strain Relief(131)

Customers Also Bought

 TE Part #91503-1 CCII AMPLIMITE 20 DF PIN SKT 28-20 ASSY	 TE Part #T4110002081-000 M12,FEMALE,STRAIGHT,A CODE,8P, PG9,GOLD	 TE Part #NB17324001 RP-4800-NO.11-0-SP	 TE Part #66506-9 PIN CONTACT, 20 DF
 TE Part #1925214-9 TMN2N009PC2DM018S = M32139/03-A05SNS	 TE Part #1658640-2 RECP. ASSEMBLY SIZE 5	 TE Part #NB-PTCO-155 Pt100, 2.0x5.0, Class T, PTFD101T1G0	 TE Part #5-747905-2 9 Rcpt Solder Cup, Gold Flash,
 TE Part #5748678-1 2 PC PLST CBL CLMP KIT	 TE Part #CV4355-000 HT-200-1/16-X-SP		

Documents

Product Drawings
2 PC PLST CBL CLMP KIT
English

CAD Files
3D PDF
English



Customer View Model

[ENG_CVM_5748678-5_O.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_5748678-5_O.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_5748678-5_O.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[AMPLIMITE Subminiature D Connectors - Cable Connectors](#)

English

[AMPLIMITE Cable Connectors and Shielding Hardware Kits QRG](#)

English

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English