




Connectors > Contacts > Connector Contacts



Contact Type: **Socket**
Contact Mating Area Plating Material: **Gold (Au)**
Wire Contact Termination Area Plating Material: **Tin-Lead**
Contact Retention Within Housing: **With**
Contact Retention Type Within Housing: **Locking Lance**

Features

Contact Features

PCB Contact Termination Area Plating Material	Nickel
Contact Type	Socket
Contact Mating Area Plating Material	Gold (Au)
Wire Contact Termination Area Plating Material	Tin-Lead
Contact Retention Within Housing	With
Contact Base Material	Phosphor Bronze
Contact Current Rating (Max)	5 A

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire & Cable

Mechanical Attachment

Contact Retention Type Within Housing	Locking Lance
---------------------------------------	---------------

Dimensions

Compatible Insulation Diameter Range	.89 – 1.4 mm[.035 – .055 in]
Wire Size	159.8 – 642.4 CMA

Usage Conditions

Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]
-----------------------------	---------------------------

Operation/Application



Circuit Application	Power & Signal
---------------------	----------------

Identification Marking

Contact Color Code	Orange
--------------------	--------

Packaging Features

Packaging Method	Strip
Packaging Quantity	7000

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2151967-1
OCEAN_2.0_Applicator-S-042F062O-RSM

TE Part # 2151967-2
OCEAN_2.0_Applicator-S-042F062O-RSA

TE Part # 7-2151967-7
OCEAN_2.0_SPARE_PART_KIT-042F062O

TE Part # 91073-1
TW LF EXT TOOL

Also in the Series | AMP Twin-Leaf

Connector Contacts(13)

Insertion & Extraction Tools(1)

Power Contacts(11)

Wire-to-Board Connector Assemblies & Housings(17)

Customers Also Bought

TE Part #5-103956-2
8X3 MTE RCPT SR LATCH .100CL

TE Part #3-1617569-7
JMSP-12XM=M39016/11-022M

TE Part #2-2176381-8
RQ 0805 23K7 0.1% 10PPM 5K RL

TE Part #2221860-4
AMPLIMITE IP67,SZ4, 90, 62 POS,IFS, PLUG

TE Part #1617155-1
MGAP-26 = MGA .100 GRID RELAY

TE Part #1617124-4
JMAPD-26XM = M39016/15-039M

TE Part #1546225-2
TERMI-BLOK PCB MOUNT 90, 5,0MM

TE Part #ZPF000000000007489
983-0SE 10-05 PN

TE Part #60419-2
250 FASTON FLAG REC 18-14 AWG TPBR

TE Part #Y72596-09-98PNV003
HERM RECP



Documents

Product Drawings

CONT. CRP.SNAP TW.LF STRIP

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_583616-3_BM.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_583616-3_BM.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_583616-3_BM.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English