Buchanan | BUCHANAN 4 Series

TE Internal #: 6-1437648-7 4 Position Barrier Strip, Tri-Barrier, Printed Circuit Pin Bottom Termination, Wire-to-Board, 8.26 mm [.325 in] Centerline, 1 Row, BUCHANAN 4 Series

View on TE.com >

Connectors > Terminal Blocks & Strips > Barrier Strips



Number of Positions: 4 Barrier Strip Style: **Tri-Barrier** Bottom Termination Type: **Printed Circuit Pin** Connector System: **Wire-to-Board** Centerline (Pitch): **8.26 mm [.325 in]**

Features



Product Type Features

Block Style	Flat Bottom with standoffs			
Connector System	Wire-to-Board			
Connector & Contact Terminates To	Printed Circuit Board			
Configuration Features				
Number of Levels	1			
Number of Positions	4			
Number of Rows	1			
Electrical Characteristics				
Operating Voltage	150 V			
Body Features				
Primary Product Color	Black			
Product Orientation	Vertical			
Barrier Strip Style	Tri-Barrier			

4 Position Barrier Strip, Tri-Barrier, Printed Circuit Pin Bottom Termination, Wire-to-Board, 8.26 mm [.325 in] Centerline, 1 Row, BUCHANAN 4 Series



Contact Features

Contact Base Material	Copper Alloy			
PCB Contact Termination Area Plating Material	Tin			
Contact Current Rating (Max)	20 A			
Termination Features				
Bottom Termination Type	Printed Circuit Pin			
Mechanical Attachment				
Top Termination Type	Wire Clamp Combo Head			
Mounting Options	None			
Screw Plating Material	Zinc			
Screw Material	Steel			
Thread Size	4-40			
Screw Head Type	Wire Clamp Combo Head			
Connector Mounting Type	Board Mount			
Housing Features				
Housing Material	Polyamide			

Centerline (Pitch)

8.26 mm[.325 in]

	•	•	
1)	men	sions	
		310113	

Product Length	34.54 mm[1.36 in]				
Wire Size	22 – 12 AWG				
Usage Conditions					
Operating Temperature Range	0-105 °C[32-221 °F]				
Operation/Application					
Circuit Application	Power				
Industry Standards					
UL Flammability Rating	UL 94V-0				
Packaging Features					
Packaging Method	Package				
Packaging Quantity	300				

Product Compliance

For compliance documentation, visit the product page on TE.com>

4 Position Barrier Strip, Tri-Barrier, Printed Circuit Pin Bottom Termination, Wire-to-Board, 8.26 mm [.325 in] Centerline, 1 Row, BUCHANAN 4 Series



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



Also in the Series | BUCHANAN 4 Series

4 Position Barrier Strip, Tri-Barrier, Printed Circuit Pin Bottom Termination, Wire-to-Board, 8.26 mm [.325 in] Centerline, 1 Row, BUCHANAN 4 Series





Customers Also Bought



TE Part #8-1437657-8

TE Part #3-1437667-5

TE Part #1658621-7

TE Part #5050462-8

8PCV-05-006=#8 TRIBARRIER	4DB-P108-11=4DB ASSEMBLY	30 NOVO MIL/CTR 15DP, LEAD FREE	SOCKET, MIN-SPR SN-AU SER-2



Documents

Product Drawings 4PCV-04-006=4PCV ASSEMBLY

English

CAD Files

Customer View Model

ENG_CVM_CVM_6-1437648-7_T.2d_dxf.zip

English

3D PDF

C For support call+1 800 522 6752

4 Position Barrier Strip, Tri-Barrier, Printed Circuit Pin Bottom Termination, Wire-to-Board, 8.26 mm [.325 in] Centerline, 1 Row, BUCHANAN 4 Series



3D

Customer View Model ENG_CVM_CVM_6-1437648-7_T.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_6-1437648-7_T.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages BUCHANAN TERMINAL BLOCKS CATALOG - BARRIER STRIPS

English

1-1773458-2_BARRIER_STRIPS_QUICK_REFERENCE_GUIDE

English