PS12-1Y - ACTIVE

CII

TE Internal #: 6-1618386-9 1 Form A (NO), 3.8 – 32 VDC Input, 250 Vrms Output, 10 A Contact Rating, DC Output, Panel Mount

View on TE.com >



Relays & Contactors > Solid State Relays



Contact Arrangement: 1 Form A (NO)

Input Voltage: 3.8 – 32 VDC

Output Voltage Rating: 250 Vrms

Contact Current Rating: 10 A

Output Current Type: DC

Features

Configuration Features

Contact Arrangement

Electrical Characteristics

Contact Voltage Rating

1 Form A (NO)

250 VAC

Input Voltage	3.8 – 32 VDC
Output Voltage Rating	250 Vrms
Contact Current Rating	10 A
Body Features	
Enclosure Type	Hermetically Sealed
Termination Features	
Relay Connection Type	Terminals
Terminal Configuration	Screw Terminals
Mechanical Attachment	
Product Mounting Feature Type	Mounting Hole
Product Mount Type	Panel Mount
Dimensions	
Product Length	50.8 mm[2 in]
Product Width	25.4 mm[1 in]

PS12-1Y

1 Form A (NO), 3.8 – 32 VDC Input, 250 Vrms Output, 10 A Contact Rating, DC Output, Panel Mount



Product Height	22.9 mm[.889 in]
Usage Conditions	
Operating Temperature Range	-55 – 95 °C[-67 – 203 °F]
Operation/Application	
Shock Resistance	100G's, 6ms
Output Current Type	DC
Packaging Features	
Packaging Method	Tray/Box
Product Compliance For compliance documentation, visit the product page on TE.com>	Concelionat
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025

Halogen Content

Solder Process Capability

Pb (6% in Component Part)

Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable

governmental regulations relevant to your geographic location.

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Not lead free process capable

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts

C For support call+1 800 522 6752

PS12-1Y

1 Form A (NO), 3.8 – 32 VDC Input, 250 Vrms Output, 10 A Contact Rating, DC Output, Panel Mount








TE Part # 1617827-5 1621-C-0700 = 1600 FIXED OPERA


Customers Also Bought



PS12-1Y

1 Form A (NO), 3.8 – 32 VDC Input, 250 Vrms Output, 10 A Contact Rating, DC Output, Panel Mount





Documents

Product Drawings PS12-1Y = SOLID STATE RELAY, 10A/250VAC

English

Datasheets & Catalog Pages 5-1773450-5_sec10_PS12

English