

### M12 Connector

TE Internal #: 6-2271128-2

12 Position Circular Connector, Cable-to-Cable, Sealable, Wire &

Cable, Signal, Reverse Gender, Plastic, A Code, Polyamide 66

GF25, M12 Connector

View on TE.com >



Connectors > Circular Connectors > Standard Circular Connectors











Number of Positions: 12

Connector System: Cable-to-Cable

Sealable: Yes

Connector & Contact Terminates To: Wire & Cable

Contact Current Rating (Max): 2A

## **Features**

#### **Product Type Features**

Factory Installed Backshell

Number of Positions

| Product Type Features                 |                      |
|---------------------------------------|----------------------|
| Assembly Requirement                  | Factory Assembled    |
| Circular Connector Shell Type         | All Plastic          |
| Connector Product Type                | Connector Assembly   |
| Assembly Type                         | Electrical Connector |
| Prewired                              | No                   |
| Connector System                      | Cable-to-Cable       |
| Sealable                              | Yes                  |
| Connector & Contact Terminates To     | Wire & Cable         |
| Circular Connector Type               | Receptacle           |
| Shell Type                            | Plastic              |
| Configuration Features                |                      |
| Keying & Polarized Position Locations | A                    |
|                                       |                      |

With

12



| Number of Power Positions                   | 0                         |
|---|---------------------------|
| Number of Signal Positions                  | 12                        |
| Contacts Preloaded                          | Yes                       |
| Body Features                               |                           |
| Environmental Protection                    | IP67                      |
| Environmental Protection Type               | Sealed                    |
| Primary Product Color                       | Black                     |
| Shell Base Material                         | Plastic                   |
| Circular Connector Insulation Material Type | Polyamide 66 GF25         |
| Hermetically Sealed                         | Yes                       |
| Contact Features                            |                           |
| Contact Current Rating (Max)                | 2 A                       |
| Reverse Gender                              | Yes                       |
| Circular Connector Contact Type             | Socket                    |
| Termination Features                        |                           |
| Termination Method to Wire & Cable          | Solder                    |
| Mechanical Attachment                       |                           |
| Mating Retention Type                       | Threaded                  |
| Mating Alignment                            | With                      |
| Polarization Code                           | A                         |
| Mating Alignment Type                       | Keyed                     |
| Mating Retention                            | With                      |
| Housing Features                            |                           |
| Circular Connector Shell Size               | 20                        |
| Dimensions                                  |                           |
| Wire Size                                   | 26 – 22 AWG               |
| Usage Conditions                            |                           |
| IP Dust Sealing Level                       | 6                         |
| IP Water Sealing Level                      | IP67                      |
| Operating Temperature Range                 | -40 - 85 °C[-40 - 185 °F] |
| Operation/Application                       |                           |
| Circuit Application                         | Signal                    |
|   |                           |



| Shielded                                    | No  |
|---|-----|
| Industry Standards                          |     |
| Compatible With Approved Standards Products | IEC |

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU                  | Compliant with Exemptions   |
|---|---|
| EU ELV Directive 2000/53/EC                   | Compliant with Exemptions   |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold  |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JAN 2025<br>(247)<br>Candidate List Declared Against: JAN 2025<br>(247)<br>Does not contain REACH SVHC |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per<br>homogenous material. Also BFR/CFR/PVC<br>Free   |
| Solder Process Capability                     | Not reviewed for solder process capability  |

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts















# Also in the Series M12 Connector



Connector Hardware(11)



Connector Seals & Cavity Plugs(4)



M8/M12 Cable Assemblies(230)



Standard Circular Connectors(793)


# Customers Also Bought



TE Part #6-2271110-2 M12, MALE, A CODE, 12P, PG9 (AU)



TE Part #CAT-H3910-CH8172 DEUTSCH HD10 Housings




TE Part #216089-000 55A0111-20-5



TE Part #T4130012121-000 M12,REAR MOUNT,MALE,A,12P, SOLDER WIRE



TE Part #HD18-006 **BACK SHELL** 



TE Part #213847-3 POWERBAND CONT ASSY, SILVER PLT



TE Part #66107-4 III+ PIN,26-24,30AU/FL,LP



TE Part #88057-24-31 WT BACKSHELL ASSY #24, 3pcs, WTA10-24-00



## **Documents**

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_6-2271128-2\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_6-2271128-2\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_6-2271128-2\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## Datasheets & Catalog Pages

M8 / M12 Connector System Catalog

English

M8 / M12 Connector System Catalog

Japanese

# **Product Specifications**

**Product Specification** 

English