




Terminals & Splices > PCB Terminals



PCB Terminal Type: **Receptacle**
PCB Hole Diameter: **3.1 mm [.122 in]**
Mating Pin Diameter: **1.47 mm [.058 in]**
Compatible Insulation Diameter (Max): **2.29 mm [.09 in]**
Compatible Insulation Diameter Range: **1.52 – 2.29 mm [.06 – .09 in]**

Features

Product Type Features

Terminal Features	Stud Hole
-------------------	-----------

Contact Features

PCB Terminal Type	Receptacle
Mating Pin Diameter	1.47 mm[.058 in]
Terminal Plating Material	Pre-Tin
Terminal Orientation	Straight

Termination Features

Termination Method to PCB	Through Hole - Solder
Product Terminates To	Wire & Cable

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

Terminal Material Thickness	.25 mm[.01 in]
PCB Hole Diameter	3.1 mm[.122 in]



Compatible Insulation Diameter (Max)	2.29 mm[.09 in]
Compatible Insulation Diameter Range	1.52 – 2.29 mm[.06 – .09 in]
Wire Size	.2 – .6 mm ²

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]

Packaging Features

Packaging Quantity	12000
Packaging Method	Box

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



 TE Part # 60598-3 058PIN REC IS 22-20 010TPPHBZ	 TE Part # 60789-3 .058 DIA RECEPTACLE LP 20-24 GPPHBR	 TE Part # 60789-1 .058 DIA RECEPTACLE LP 20-24	 TE Part # 60888-1 058 PIN REC 26-22 .010TPPHBZ
 TE Part # 60986-1 .058 DIA PIN RECPT L/P	 TE Part # 60888-2 058 PIN REC 26-22 .010GPPHBZ	 TE Part # 350393-1 058 PCB REC IP 010TPPHBZ	

Customers Also Bought

 TE Part #2-520337-2 ULTRA-FAST 187 ASY REC 22-18 TPBR	 TE Part #710025-3 XCT 50-6	 TE Part #350690-2 UMNL PIN 24-18 AUBR L/P	 TE Part #640713-2 02P UMNL STR/RELIEVE
 TE Part #280702-1 AMPMODU CONT.	 TE Part #66506-3 20 DF PIN	 TE Part #1-770985-0 MINI UMNL PIN 26-22AWG AU LP	 TE Part #794017-1 .062 CP&S PIN PTPBR L/P 24-18
 TE Part #794606-1 MICRO MNL RPT CNT STRIP 20-24	 TE Part #820091-000 301A011-25-0		

Documents



Product Drawings

.058 PIN REC 24-20 010TPPHBZ

English

CAD Files

Customer View Model

ENG_CVM_60940-1_F.3d_igs.zip

English

Customer View Model

ENG_CVM_60940-1_F.3d_stp.zip

English

Customer View Model

ENG_CVM_60940-1_F.2d_dxf.zip

English

3D PDF

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_60940-1_K.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_60940-1_K.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_60940-1_K.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

PRINTED CIRCUIT BOARD TERMINALS AND DISCONNECTS

English

Product Specifications

Application Specification

English

Instruction Sheets

Application and Maintenance for Hand Crimping Tool

English

Instruction Sheet (U.S.)

English