



Connectors > Circular Connectors > Standard Circular Connectors



Sealable: **Yes**

Contact Current Rating (Max): **30 A**

Circuit Application: **Power**

Shell Base Material: **Brass**

Circular Connector Shell Size: **40**

Features

Product Type Features

Sealable	Yes
Shell Type	Metal

Body Features

Shell Base Material	Brass
---------------------	-------

Contact Features

Contact Current Rating (Max)	30 A
Circular Connector Contact Type	Pin

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Housing Features

Circular Connector Shell Size	40
Alignment Keyed	0°

Operation/Application

Durability Rating	500 Cycles
-------------------	------------



Circuit Application

Power

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) SVHC > Threshold: Pb (1.6% in Component) <b>Article Safe Usage Statements:</b> Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # C0-0313-000-P00  
CRIMPING DEVICE HC20 IN CASE

TE Part # C0-0247-000-000  
POSITIONING INSERT FOR 3.6 MM CONTACTS

TE Part # C0-0008-000-P00  
CRIMPING TOOL LARGE

Customers Also Bought



TE Part #AGC139N00001215000  
623 RECEPTACLE ANGLED  
ROTATABLE



TE Part #BEA121N00000100000  
923 RECEPTACLE, SPEEDTEC



TE Part #BSA896F0985056A000  
917 PLUG, SPEEDTEC



TE Part #BGC106N00001216000  
923 RECEPTACLE, ANGLED,  
ROTATABLE



TE Part #AEA110N00000201000  
623 RECEPTACLE, SPEEDTEC-READY



TE Part #EEA204N00000001000  
915 ITEC RECEPTACLE



TE Part #HGC422N00003200000  
723 htec receptacle, angled, speedtec



TE Part #EEA201N00000506000  
915 ITEC RECEPTACLE



TE Part #CGE271N00000051000  
940 RECEPTACLE ANGLED,  
ROTATABLE,SP-READY



TE Part #C0-0004-000-000  
POSITIONING INSERT FOR 2 MM  
CONTACTS

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_61-0203-011-000\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_61-0203-011-000\_A.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_61-0203-011-000\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

61-0203-011-000

English