

61198-2 ✓ ACTIVE

FASTON | FASTON 250


TE Internal #: 61198-2

Quick Disconnect Receptacle, 12 – 10 AWG, 2.62 – 6.64 mm² Wire, 5180 – 13100 CMA, 6.35 mm [.25 in] Tab Width, Straight, Phosphor Bronze, FASTON 250

[View on TE.com >](#)



Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Receptacle**

Wire Size: **5180 – 13100 CMA**

Mating Tab Width: **6.35 mm [.25 in]**

Features

Product Type Features

Terminal Features	Wire Stop
Insertion Force	Normal

Configuration Features

Connection Capacity	Single
---------------------	--------

Electrical Characteristics

Voltage Rating	300 V
----------------	-------

Body Features

Insulation Material	Nylon
---------------------	-------

Contact Features

Quick Disconnect Terminal Type	Receptacle
Mating Tab Width	6.35 mm [.25 in]
Mating Tab Thickness	.81 mm [.032 in]
Terminal Orientation	Straight
Contact Base Material	Phosphor Bronze
Terminal Plating Material	Tin



Crimp Type	Compression Crimp
Barrel Type	Closed

Termination Features

Product Terminates To	Wire & Cable
-----------------------	--------------

Mechanical Attachment

Wire Insulation Support	With
Mating Retention Type	Dimple

Dimensions

Product Length	25.7 mm[1.012 in]
Compatible Insulation Diameter Range	6.35 mm[.25 in]
Terminal Material Thickness	.46 mm[.018 in]
Wire Size	5180 – 13100 CMA

Usage Conditions

Insulation Option	Partially Insulated
-------------------	---------------------

Packaging Features

Packaging Quantity	500
Packaging Method	Loose Piece

Other

Barrel Color	Yellow
--------------	--------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2323802-4
SSRMP-480D25 = Mini Puck, 25A, 480V AC



TE Part # 2323802-1
SSRMP-240D25 = Mini Puck, 25A, 240V AC




TE Part # 2323802-7
SSRMP-240D25R = Mini Puck, 25A, 240V AC, R



TE Part # 1-2323802-1
SSRMP-480D25R = Mini Puck, 25A, 480V AC, R

Also in the Series | **FASTON 250**

Compression Connectors(4)



Crimp Terminal Housings(116)



Insertion & Extraction Tools(6)



Insulation Boots & Sleeves(16)



Magnet Wire Terminals(1)



PCB Terminals(134)




Quick Disconnects(421)




Splices(4)


Customers Also Bought



TE Part #929985-1
RECEPTACLE CONTACT 1,5MM DIA



TE Part #20011423-01
830M1-0050 Triaxial 50g Tray 25pcs



TE Part #1879068-2
SOB 40 27R 5% 6.35MM FASTON



TE Part #2320281-1
PICO MQS, TERMINAL



TE Part #4367790007
ES-CAP-NO.2-B9-0-50MM



TE Part #1648552-1
295-0049-01100



TE Part #ANT-DB1-LP-RM-01-N
Antenna Directional Tri-Band Hi-Gain N



TE Part #130496
PIDG SPADE



TE Part #2-1630024-7
HSC250 33R 5%



TE Part #1217825-1
FLUORESCENT TUBE SOCKET TERMINAL

Documents

Product Drawings

[RECEPT, PIDG FASTON 12-10 250](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_61198-2_N.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_61198-2_N.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_61198-2_N.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages



PIDG_FASTON

English

Ultra-Fast and Ultra Fast Plus

English

Product Specifications

Application Specification

English