


TE Internal #: 61588-1 Closed Ring Tongue Terminal, 22 – 16 AWG, #6 / M3.5 Stud, 3.68 mm [.145 in] Stud Diameter, Open Barrel, Straight, Tin Plating, Uninsulated

View on TE.com >

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 642 – 2582 CMA

Stud Size: **#6, M3.5**

Features

Product Type Features

Shape Description

Anti-Rotational/Grounding

Ring Terminal Product Type	Closed Ring Tongue Terminal				
Stud Size	#6, M3.5				
Sealable	No				
Compatible With Discrete Wire Type	Stranded				
Wire Insulation Support Retention Type	Insulation Support				
Contact Features					
Contact Base Material	Brass				
Barrel Type	Open				
Terminal Orientation	Straight				
Terminal Plating Material	Tin				
Contact Underplating Material	Nickel				
Mechanical Attachment					
Wire Insulation Support	With				
Dimensions					
	.1 in				

C For support call+1 800 522 6752

connectivity

61588-1

Closed Ring Tongue Terminal, 22 – 16 AWG, #6 / M3.5 Stud, 3.68 mm [.145 in] Stud Diameter, Open Barrel, Straight, Tin Plating, Uninsulated



Wire Size	642 – 2582 CMA				
Stud Diameter	3.68 mm[.145 in]				
Tongue Thickness	.76 mm[.03 in]				
Product Length	19.56 mm[.77 in]				
Barrel Inside Diameter	1.27 mm, 3.17 mm[.05 in][.125 in]				
Compatible Insulation Diameter (Max)	3.56 mm[.14 in]				
Compatible Insulation Diameter Range	2.54 – 3.56 mm[.1 – .14 in]				
Usage Conditions					
Insulation Option	Uninsulated				
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]				
Operation/Application					
Compatible With Wire Base Material	Copper				
Industry Standards					
Government Qualified Terminal	No				
Packaging Features					
Packaging Quantity	10000				
Packaging Method	Strip/Reel				

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	
Solder Process Capability	Not applicable for solder process capability	
Product Compliance Disclaimer This information is provided based on reasonable inquiry of our suppliers and	l represents our current actual knowledge	

based on the information they provided. This information is subject to change. The part numbers that TE has identified as

61588-1

Closed Ring Tongue Terminal, 22 – 16 AWG, #6 / M3.5 Stud, 3.68 mm [.145 in] Stud Diameter, Open Barrel, Straight, Tin Plating, Uninsulated




EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought



TE Part #1599105-1 RECEPTACLE CLUSTER PIN .090dia	TE Part #2232327-1 CLUSTER BLOCK HSG .090 DIA	TE Part #962883-1 TAB AS 2.8x0.8 CONTACT CS SRC Sn	TE Part #521120-7 PL 250 HOUSING RECEPTACLE NYLON 6/6
TE Part #1217113-1 PL 187 TERMINAL RECEPTACLE 22-18 AWG BR	TE Part #1380145-1 CLUSTER BLOCK HSG090 DIA.	TE Part #2321924-5 RECEPTACLE HOUSING FREE HANGING 5PIN	TE Part #NB10784001 ATUM-32/8-0-SP



61588-1

Closed Ring Tongue Terminal, 22 – 16 AWG, #6 / M3.5 Stud, 3.68 mm [.145 in] Stud Diameter, Open Barrel, Straight, Tin Plating, Uninsulated



Documents

CAD Files 3D PDF

3D

Customer View Model

ENG_CVM_CVM_61588-1_Y_c-61588-1-y.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_61588-1_Y_c-61588-1-y.3d_igs.zip

English

Customer View Model ENG_CVM_CVM_61588-1_Y_c-61588-1-y.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Engineering Report

English

Agency Approvals UL Report

English