



Wire Protection & Management > Heat Shrink Shapes > Cable Transitions & Breakouts



Number of Branches & Legs: 4

Material Code: 3

Material Systems Code: 10

Adhesive Requirement: **Adhesive Purchased Separately**

Operating Temperature Range: -55 – 135 °C [-67 – 275 °F]

Features

Configuration Features

Number of Branches & Legs	4
Adhesive Requirement	Adhesive Purchased Separately

Body Features

Primary Product Material	Modified Polyolefin
Material Code	3
Material Systems Code	10

Usage Conditions

Operating Temperature Range	-55 – 135 °C[-67 – 275 °F]
-----------------------------	----------------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content




Solder Process Capability

Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Customers Also Bought




TE Part #2328194001  
ZH-100-1-1/2-0-SP



TE Part #YDBC54H-10-6PNV001  
HERM RECP




TE Part #1011-269-0605  
BKSHL, 6P, BLK, REC, ST, SR, NW8.5 /10/13




TE Part #YDBC54H-2221PNV001  
HERM RECP




TE Part #0641-1-2031L  
CONT PIN



TE Part #62409-1  
250 FASTON TAB TPBR




TE Part #5-2176453-4  
CPF 0201 20K5 0.1% 25ppm 1K RL



TE Part #2-2176452-2  
CPF 0201 887R 0.1% 25ppm 1K RL



TE Part #8-1437558-4  
MTF106E=(MST-49) SW TOG SPDT



TE Part #AFD54-24-31PN-6116  
RECP ASSY

Documents

Product Drawings

F-23-FR

English



Datasheets & Catalog Pages

Raychem Molded Parts Visual Guide

English

Product Specifications

Product Specification

English

Raychem S1297 and /97 Hot Melt Adhesive

English