

TE Internal #: 61866-1 Closed Ring Tongue Terminal, 10 – 6 AWG, #10 Stud, 4.82 mm [.19 in] Stud Diameter, Open Barrel, Straight, Tin Plating, Uninsulated View on TE.com >



Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal Wire Size: 10382 – 26248 CMA Stud Size: #10

Features

Product Type Features

Shape Description

Ring Terminal Product Type

Circular/Oval

Closed Ring Tongue Terminal

| Ring Terminal Product Type | Closed Ring Longue Terminal | |
|----------------------------------------|-----------------------------|--|
| Stud Size | #10 | |
| Sealable | No | |
| Compatible With Discrete Wire Type | Stranded | |
| Wire Insulation Support Retention Type | Insulation Support | |
| Configuration Features | | |
| Number of Holes | 1 | |
| Contact Features | | |
| Contact Base Material | Brass | |
| Barrel Type | Open | |
| Terminal Orientation | Straight | |
| Terminal Plating Material | Tin | |
| Contact Underplating Material | Nickel | |
| Mechanical Attachment | | |
| Wire Insulation Support | With | |
| | | |

61866-1

Closed Ring Tongue Terminal, 10 – 6 AWG, #10 Stud, 4.82 mm [.19 in] Stud Diameter, Open Barrel, Straight, Tin Plating, Uninsulated



Dimensions

| | .145 in |
|-----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| Wire Size | 10382 – 26248 CMA |
| Stud Diameter | 4.82 mm[.19 in] |
| Tongue Thickness | 1.02 mm[.04 in] |
| Product Length | 25.2 mm[.99 in] |
| Barrel Inside Diameter | 4.19 mm, 6.12 mm[.165 in][.241 in] |
| Compatible Insulation Diameter (Max) | 7.37 mm[.29 in] |
| Compatible Insulation Diameter Range | 3.68 – 7.37 mm[.145 – .29 in] |
| Usage Conditions | |
| Insulation Option | Uninsulated |
| Operating Temperature Range | -40 – 110 °C[-40 – 230 °F] |
| Operation/Application | |
| Compatible With Wire Base Material | Copper |
| Industry Standards | |
| Government Qualified Terminal | No |
| Packaging Features | |
| Packaging Quantity | 1200 |
| Packaging Method | Strip/Reel |
| Product Compliance For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not applicable for solder process capability |
| | |

61866-1


Closed Ring Tongue Terminal, 10 – 6 AWG, #10 Stud, 4.82 mm [.19 in] Stud Diameter, Open Barrel, Straight, Tin Plating, Uninsulated



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Customers Also Bought








| ~ | CRIMPER REPRESENTATION ONLY | | = TE |
|--------------------------------------------|-----------------------------------------------|---------------------------------------------------------------|------------------------------------------|
| TE Part #3-1633965-8 INSULATION CRIMPER | TE Part #2-1803712-1 CRIMPER, INSULATION O | TE Part #2151060-1 OCEAN_2.0_APPLICATOR-S- 080F160O-RSM | TE Part #2-2400680-4 4P CAP TPA, UMNL |





TE Part #122331-2 ANVIL, COMBINATION

TE Part #6-854014-0 ANVIL, COMBINATION 110 X 136

Documents

Product Drawings RING TERMINAL CRIMP 10-6 AWG TPBR

English

CAD Files 3D PDF

61866-1

Closed Ring Tongue Terminal, 10 – 6 AWG, #10 Stud, 4.82 mm [.19 in] Stud Diameter, Open Barrel, Straight, Tin Plating, Uninsulated



3D

Customer View Model ENG_CVM_CVM_61866-1_L_c-61866-1-I.2d_dxf.zip English Customer View Model ENG_CVM_CVM_61866-1_L_c-61866-1-I.3d_igs.zip English Customer View Model ENG_CVM_CVM_61866-1_L_c-61866-1-I.3d_stp.zip English

Product Specifications

Engineering Report

English

Agency Approvals UL Report

English