




TE Internal #: 62074-1
Pin, 3.17 mm [.125 in] Pin Diameter, 24 – 20 AWG, .2 – .6 mm² Wire,
404 – 1021 CMA, Open Barrel, Unplated Plating, 17.51 mm [.705 in]
Length, Reel
[View on TE.com >](#)

Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules



Crimp Wire Terminal Type: **Pin**
Mating Pin Diameter: **3.17 mm [.125 in]**
Compatible Insulation Diameter Range: **2.62 mm, 1.52 – 2.62 mm [.103 in, .06 – .103 in]**
Wire Size: **.2 – .6 mm²**

Features

Product Type Features

Compatible With Discrete Wire Type	Solid, Stranded
------------------------------------	-----------------

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Contact Features

Crimp Wire Terminal Type	Pin
Mating Pin Diameter	3.17 mm[.125 in]
Barrel Type	Open
Terminal Plating Material	Unplated
Contact Shape & Form	Round
Terminal Orientation	Straight

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

Compatible Insulation Diameter Range	2.62 mm, 1.52 – 2.62 mm[.103 in][.06 – .103 in]
--------------------------------------	---



Wire Size	404 – 1021 CMA
Barrel Inside Diameter	.64 mm, 2.41 mm[.025 in][.095 in]
Terminal Material Thickness	.39 mm[.016 in]
Overall Product Length	17.51 mm[.705 in]

Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------

Packaging Features

Packaging Quantity	4500
Packaging Method	Reel

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 63493-1
112 DIA PIN 30-26 012 PTPBR



TE Part # 60115-4
PIN 125 RECEPTACLE 22-20 AWG BR



TE Part # 62616-1
PIN .109 (2.77MM) 18-14 AWG 016BR



TE Part # 626361-3
WALL PLUG PIN 0.5/1.5MM2 0.38X36.40 NIBR



TE Part # 1742377-2
PIN .080 DIA 30-26 AWG TPBR




TE Part # 62820-1
PIN 093 CRIMP TAB 22-16 AWG PTPBR



TE Part # 170073-2
PIN WITH LANCE .093 REC 24-20 POST-TPBR



TE Part # 60115-1
PIN 125 REC 22-20 AWG BR



TE Part # 61674-1
PIN .109 .085 X .035 FLAT WIRE BR



TE Part # 62358-1
PIN .080 (2.03 MM) 24-20 AWG TPBR



TE Part # 61013-2
PIN .109 (2.77 MM) 18-14 AWG TPBR



TE Part # 626361-1
WALL PLUG PIN 0.5/1.5 MM2 0.38X36.40 BR



TE Part # 170073-5
PIN WITH LANCE .093 REC 24-20 PRE-TPBR




TE Part # 62505-1
PIN 130 22-18 AWG .0157 X 1.020 BR


Customers Also Bought



TE Part #1757823-9
AMPLIMITE,ASY,PLUG,STD,90,ZN,3,CT



TE Part #643075-2
02P MTA100 MOLDED COVER



TE Part #727361-000
202A111-25/225-0



TE Part #584367-000
222A111-25/225-0






TE Part #2-1478762-5
[METAL BACKSHELL 25 WAY TOP E](#)



TE Part #61463-1
[RING EXTRUDED 24-20 0126BR](#)




TE Part #63381-1
[PIN .125 TERMINAL REC 22-18 AWG BR](#)



TE Part #1423675-3
[W57-XB7A4A10-5=CKTBKR,THERM,PB BR](#)



TE Part #62358-1
[PIN .080 \(2.03 MM\) 24-20 AWG TPBR](#)



TE Part #1601573-1
[L045D16A=RTM 600-1300](#)

Documents

Product Drawings

[PIN .125 \(3.17 MM\) 24-20 AWG 0.42 BR](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_62074-1_C.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_62074-1_C.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_62074-1_C.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.