




Terminals & Splices > Magnet Wire Terminals



Magnet Wire Terminal Type: **Tab**

Mating Tab Width: **4.75 mm** [.187 in]

Mating Tab Thickness: **.51 mm** [.02 in]

Compatible With Cavity Size: **Size 2**

Aluminum Wire Size: **.72 – .91 mm**

Features

Product Type Features

Compatible With Discrete Wire Type	Magnet Wire, Solid
------------------------------------	--------------------

Body Features

Compatible With Cavity Size	Size 2
-----------------------------	--------

Contact Features

Magnet Wire Terminal Type	Tab
Mating Tab Width	4.75 mm[.187 in]
Mating Tab Thickness	.51 mm[.02 in]
Terminal Plating Material	Tin
Terminal Orientation	Straight

Termination Features

Termination Method to Wire & Cable	Insulation Displacement (IDC)
------------------------------------	-------------------------------

Mechanical Attachment

Mating Retention Type	Dimple
-----------------------	--------



Dimensions

Terminal Height	7.62 mm[.3 in]
Aluminum Wire Size	21 – 19 AWG
Magnet Wire Size	.64 – .81 mm
Stock Thickness (Magnet Wire Side)	.41 mm[.016 in]
Product Length	16 mm[.63 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-65 – 150 °C[-85 – 302 °F]

Operation/Application

Compatible With Wire Base Material	Aluminum, Copper
------------------------------------	------------------

Identification Marking

Identification Number	15
-----------------------	----

Industry Standards

Compatible With Agency/Standards Products	RU (UL Component Program)
---	---------------------------

Packaging Features

Packaging Quantity	12000
Packaging Method	Reel, Reel/Carton

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts

 TE Part # 1742242-1 TAB,187 FASTON,LP,MAG-MATE	 TE Part # 63899-1 MAG-MATE 125 TAB TPBR	 TE Part # 63255-1 MAG-MATE 187FAST TAB 0198TPBR	 TE Part # 63710-2 TAB, 187 MAG-MATE SLIM LN.
 TE Part # 1-1579018-9 INSERTION TOOL	 TE Part # 63972-1 MAG-MATE 118 TAB MTA TPBR	 TE Part # 63018-1 MAG-MATE W/187 FTAB 33-31 TPBR	 TE Part # 2825438-1 MAG-MATE POST 27-23 016TPNIBR
 TE Part # 63256-2 MAG-MATE 187 FAST TAB	 TE Part # 63713-2 TAB,187 MAG-MATE SLIM LN 082 B	 TE Part # 1742035-1 TAB,187 X 032 FASTON,MAG-MATE	 TE Part # 63734-2 TAB,187 MAG-MATE SLIM LN 19-17
 TE Part # 63463-1 MAG-MATE W/118 CONN TAB TPBR	 TE Part # 62888-1 MAG-MATE 187 TAB 020 TPBR	 TE Part # 63063-2 TAB, MAG-MATE POKEIN 110F TPBR	 TE Part # 63063-1 MAG-MATE POKE-IN 110F TAB TPBR






TE Part # 63273-1
[MAG-MATE 187 FAST TAB 020TPBR](#)



TE Part # 62904-1
[MAG-MATE 187 TAB 020 TPBR](#)




TE Part # 62514-2
[MAG-MATE 27-23 187 F TAB TPBR](#)




TE Part # 63776-1
[TAB,187 FAST MAG-MATE #23 TPBR](#)

Also in the Series | **MAG-MATE 300**



[Magnet Wire Terminals\(78\)](#)

Customers Also Bought



TE Part #1601005-2
[131-012-002=TAB,110X020,STD SMZ](#)

Documents

Product Drawings
[MAG-MATE 22-20 187 F TAB TPBR](#)
English

CAD Files
[3D PDF](#)
3D
Customer View Model
[ENG_CVM_CVM_62511-1_AN.2d_dxf.zip](#)
English
Customer View Model
[ENG_CVM_CVM_62511-1_AN.3d_igs.zip](#)
English
Customer View Model
[ENG_CVM_CVM_62511-1_AN.3d_stp.zip](#)



English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages
Magnet Wire Terminals & Splices

English

Product Specifications
Application Specification

English

Agency Approvals
UL Report

English