



Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings



Terminal Type: **Receptacle**  
Connector & Housing Type: **Receptacle**  
Number of Positions: **4**  
Terminal Orientation: **Straight**  
Primary Product Color: **Natural**

Features

Product Type Features

Sealable	No
Connector & Housing Type	Receptacle

Configuration Features

Number of Positions	4
---------------------	---

Body Features

Primary Product Color	Natural
-----------------------	---------

Contact Features

Terminal Type	Receptacle
Terminal Orientation	Straight
Contact Mating Retention	With

Mechanical Attachment

Mating Retention Type	Latch
Mating Alignment	With



Connector Mounting Type	Cable Mount (Free-Hanging)
-------------------------	----------------------------

Housing Features

Housing Material	Polyamide
Centerline (Pitch)	5 mm[.196 in]

Dimensions

Product Length	18 mm[.708 in]
----------------	----------------

Usage Conditions

Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
-----------------------------	----------------------------

Packaging Features

Packaging Quantity	10000
--------------------	-------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 925015-1  
FF 110 REC HSG 3P NYLON BLACK

TE Part # 881507-9  
FASTIN-ON 2.8,TERMINAL,FAM SLD /UNSLD,CB

TE Part # 626056-4  
FASTIN-ON .110 HOUSING REC PRETO/BLACK

TE Part # 626056-5  
FASTIN-ON .110 HOUSING RECEPTACLE RED

Also in the Series | FASTIN-FASTON 110

Automotive Housings(6)

Automotive Terminals(5)

Crimp Terminal Housings(34)

Insertion & Extraction Tools(3)

Quick Disconnects(78)


Customers Also Bought

TE Part #2098641-1  
2POS, MCON 1.2 CB REC 2p SL SEALED

TE Part #626328-2  
FF 250 RECEPTACLE 4.0-6.0 MM2 TPBR

TE Part #444017-1  
HSG ASS'Y 9 POS JR


TE Part #928906-2  
FF 110 TAB 20-15 AWG .016 TPPB



TE Part #626065  
2 P FASTIN-ON 110 HOUSING TAB  
PA66 NAT




TE Part #1801422-1  
RECEPT HOUSING ASSY, 8MM, 2 W



TE Part #927422-1  
POSITIVE LOCK 3P HOUSING PA6.6



TE Part #62572-6  
FF 110 REC 20-16AWG TPBR  
BLACK



TE Part #3-1768034-2  
LEB-3460P-8A



TE Part #2-967677-1  
3,0MESSERLEIS 55P

Documents

Product Drawings

FASTIN-ON 110 HOUSING REC PA66 NATURAL

English

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_626056\_J\_c-626056-j.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_626056\_J\_c-626056-j.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_626056\_J\_c-626056-j.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

FASTIN\_FASTON\_Product\_Line

English

White Paper: Nylon Discoloration

English

Product Specifications

Application Specification

English

626056

Receptacle, Receptacle, 4 Position, Straight, Natural, Polyamide, Cable Mount (Free-Hanging), FASTIN-FASTON 110, Crimp Terminal Housings

