626437-1 - ACTIVE

ELECTRO-TAP

TE Internal #: 626437-1 Tap Splice, 17 – 13 AWG, 1 – 2.5 mm² Wire, 2048 – 5178 CMA, Brass, Blue, 17.5 mm [.688 in] Length, Box, Solid / Stranded Wire, ELECTRO-TAP

View on TE.com >

Terminals & Splices > Splices



Splice Type: Tap Splice

Wire Size: 1 – 2.5 mm²

Sealable: No

Compatible Insulation Diameter Range: 4 mm [.157 in]

Features

Product Type Features



Splice Accessory Type	Tap Cover
Splice Type	Tap Splice
Sealable	No
Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	
Compatible With Wire & Cable Type	Discrete Wire
Body Features	
Primary Product Color	Blue
Contact Features	
Terminal Plating Material	Tin
Contact Base Material	Brass
Housing Features	
Housing Material	Nylon 66 GF

626437-1

Tap Splice, 17 – 13 AWG, 1 – 2.5 mm² Wire, 2048 – 5178 CMA, Brass, Blue, 17.5 mm [. 688 in] Length, Box, Solid / Stranded Wire, ELECTRO-TAP



Dimensions

Tap Wire Size	1 – 2.5 mm²
Wire Size	2048 – 5178 CMA
Compatible Insulation Diameter Range	4 mm[.157 in]
Product Length	17.5 mm[.688 in]
Usage Conditions	
Insulation Option	Fully Insulated
Industry Standards	
Government Qualified Splice	No
Packaging Features	
Packaging Quantity	100
Packaging Method	Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

626437-1

Tap Splice, 17 – 13 AWG, 1 – 2.5 mm² Wire, 2048 – 5178 CMA, Brass, Blue, 17.5 mm [. 688 in] Length, Box, Solid / Stranded Wire, ELECTRO-TAP




Compatible Parts





Also in the Series ELECTRO-TAP




Customers Also Bought









626437-1

Tap Splice, 17 – 13 AWG, 1 – 2.5 mm² Wire, 2048 – 5178 CMA, Brass, Blue, 17.5 mm [. 688 in] Length, Box, Solid / Stranded Wire, ELECTRO-TAP





Documents

Product Drawings ELECTRO TAP ASSY

English

CAD Files

Customer View Model ENG_CVM_626437-1_E.3d_igs.zip

English

Customer View Model

ENG_CVM_626437-1_E.3d_stp.zip

English

Customer View Model

ENG_CVM_626437-1_E.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages ELECTRO-TAP CABLE CONNECTOR/SPLICE

English