TE Internal #: 63166-5

Ring, 16 – 12 AWG, 1.3 – 3.3 mm<sup>2</sup> Wire, Pre-Tin Plating, 34.66 mm [1.364 in] Length, Reel, Wire Insulation Support, Straight, Special

Purpose Terminals

View on TE.com >



Terminals & Splices > Special Purpose Terminals











Special Purpose Terminal Type: Ring

Wire Size: 1.3 – 3.3 mm<sup>2</sup>

Terminal Material Thickness: .76 mm [ .03 in ]

Terminal Plating Material: Pre-Tin

## **Features**

## **Product Type Features**

Wire Insulation Support Retention Type	Insulation Support
Sealable	No

## **Configuration Features**

Compatible With Wire & Cable Type	Discrete Wire	
-----------------------------------	---------------	--

## **Contact Features**

Barrel Type	Open
Special Purpose Terminal Type	Ring
Terminal Plating Material	Pre-Tin
Terminal Orientation	Straight

### Mechanical Attachment

Wire Insulation Support	With	
-------------------------	------	--

## Dimensions

Wire Size	1.3 – 3.3 mm <sup>2</sup>
Terminal Material Thickness	.76 mm[.03 in]
Product Length	34.66 mm[1.364 in]



Compatible Insulation Diameter (Max)	4.06 mm[.16 in]
Compatible Insulation Diameter Range	2.79 – 4.06 mm[.11 – .16 in]
Usage Conditions	
Insulation Option	Uninsulated
Packaging Features	
Packaging Quantity	4000
Packaging Method	Reel

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**






TE Part # 63496-1
POWER RING TERMINAL TAB 16-10
AWG BR




TE Part # 2151316-2 OCEAN\_2.0\_APPLICATOR-S-140F220O-SSA



# Customers Also Bought



TE Part #1-521253-7
FASTON PL 250 HSG REC BLUE
NYLON 66/6



TE Part #63166-4
POWER RING,TERMINAL 16-12 AWG
BR



TE Part #60938-2 250 FASTON REC 18-14 AWG TPBR





TE Part #63010-1 250 FASTON FLAG REC 18-14 AWG TPBR



TE Part #2293372-8
AMP MONO-SHAPE PCB CONN



TE Part #1217039-1
TIMER CONNECTOR GEN 3 18-14
POST-TPBR



TE Part #62718-2 250 FASTON FLAG REC 22-18 AWG TPBR



TE Part #41450 250 FASTON REC 14-10 AWG TPBR TE Part #1-521204-6 HSG, POS LOCK, .250 SERIES, 2 POSITION

## **Documents**

## **Product Drawings**

POWER RING, TERMINAL 16-12 AWG PTPBR

English

## **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_63166-5\_W1.2d\_dxf.zip



English

**Customer View Model** 

ENG\_CVM\_CVM\_63166-5\_W1.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_63166-5\_W1.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## **Product Specifications**

**Product Specification** 

English

Power Ring, Housing and Terminal Assemblies

Japanese

**Product Specification** 

Japanese

Power Ring, Housing and Terminal Assemblies

English

**Product Specification** 

English