


TE Internal #: 63482-1 Closed Ring Tongue Terminal, 18 – 14 AWG, #10 Stud, 4.82 mm [. 19 in] Stud Diameter, Open Barrel, Straight, Tin Plating, Uninsulated View on TE.com >



Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal Wire Size: 1624 – 4106 CMA

Stud Size: **#10**

Features

Product Type Features

Shape Description

Ring Terminal Product Type

Anti-Rotational/Grounding

Closed Ring Tongue Terminal

Closed King Longue Terminal	
#10	
No	
Stranded	
Insulation Support	
Steel	
Open	
Straight	
Tin	
Nickel	
With	
.105 in	

63482-1

Closed Ring Tongue Terminal, 18 – 14 AWG, #10 Stud, 4.82 mm [.19 in] Stud Diameter, Open Barrel, Straight, Tin Plating, Uninsulated



Wire Size	1624 – 4106 CMA
Stud Diameter	4.82 mm[.19 in]
Tongue Thickness	.76 mm[.03 in]
Product Length	19.56 mm[.77 in]
Barrel Inside Diameter	1.62 mm, 3.17 mm[.064 in][.125 in]
Compatible Insulation Diameter (Max)	3.68 mm[.145 in]
Compatible Insulation Diameter Range	2.66 – 3.68 mm[.105 – .145 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]
Operation/Application	
Compatible With Wire Base Material	Copper
Industry Standards	
Government Qualified Terminal	No
Packaging Features	
Packaging Quantity	8000
Packaging Method	Strip/Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as

63482-1

Closed Ring Tongue Terminal, 18 – 14 AWG, #10 Stud, 4.82 mm [.19 in] Stud Diameter, Open Barrel, Straight, Tin Plating, Uninsulated



EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought



	= TE		
TE Part #1971788-2 PTL TAB CONTACT, 2X18 AWG	TE Part #CAT-UL8-2502 ULTRA POD: Straight, Receptacle Assembly, Unplated, .250 inch	TE Part #521411-1 ULTRA-POD 250 ASY REC 22-18 AWG BR	TE Part #40868 SPLICE 2500-4700 CMA TPBR
THE TE	All All		
TE Part #5-1971775-3 PTL 2X3 CAP PANEL MT HIGH TEMP	TE Part #61795-3 RING 18-14 AWG TPBR	TE Part #2-176498-6 187 HSG. PL MKII REC. 15mm 2P BLUE	TE Part #63609-1 250 FASTON REC 22-18 AWG BR

TE Part #1-176282-5 AMP UNIVERSAL POWER CAP 2P GREEN

KEY A LGR

63482-1

Closed Ring Tongue Terminal, 18 – 14 AWG, #10 Stud, 4.82 mm [.19 in] Stud Diameter, Open Barrel, Straight, Tin Plating, Uninsulated



Documents

Product Drawings RING 18-14 AWG TPSTL

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_63482-1_K.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_63482-1_K.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_63482-1_K.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English

Agency Approvals UL Report

English