

MAG-MATE | MAG-MATE 300

TE Internal #: 63690-1

Dual Connection Terminal / F-Crimp, 22 – 18 AWG Lead Wire, .3 – .


8 mm² Lead Wire, .45 – .64 mm Magnet Wire, MAG-MATE 300,

Magnet Wire Terminals


View on TE.com >



Terminals & Splices > Magnet Wire Terminals











Magnet Wire Terminal Type: Dual Connection Terminal, F-Crimp

Compatible With Cavity Size: Size 6

Lead Wire Size: 22 – 18 AWG

Magnet Wire Size: 25 – 22 AWG

Features

Product Type Features

Product Type Features	
Wire Insulation Support Retention Type	Non-Insulation Support
Compatible With Discrete Wire Type	Magnet Wire, Solid
Body Features	
Compatible With Cavity Size	Size 6
Contact Features	
Crimp Type	IDC
Magnet Wire Terminal Type	Dual Connection Terminal, F-Crimp
Terminal Plating Material	Tin
Terminal Orientation	Straight
Termination Features	
Termination Method to Wire & Cable	Insulation Displacement (IDC)
Dimensions	

7.62 mm[.3 in]

22 – 18 AWG

Terminal Height

Lead Wire Size



Magnet Wire Size	.45 – .64 mm
Product Length	12.32 mm[.485 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	-65 – 150 °C[-85 – 302 °F]
Operation/Application	
Compatible With Wire Base Material	Aluminum, Copper
Identification Marking	
Identification Number	12
Industry Standards	
Compatible With Agency/Standards Products	RU (UL Component Program)
Packaging Features	

Reel, Reel/Carton

Product Compliance

Packaging Method

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on



requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



















Also in the Series | MAG-MATE 300



Customers Also Bought













Documents

Product Drawings

MAG-MATE F CRIMP22-25 0126TPBR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_63690-1_G.2d_dxf.zip

English

Customer View Model

ENG_CVM_63690-1_G.3d_igs.zip

English

Customer View Model

ENG_CVM_63690-1_G.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Magnet Wire Terminals & Splices

English

Product Specifications

Application Specification

English

Agency Approvals

UL Report

Dual Connection Terminal / F-Crimp, 22 – 18 AWG Lead Wire, .3 – .8 mm² Lead Wire, .45 – .64 mm Magnet Wire, MAG-MATE 300, Magnet Wire Terminals



English