




Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Tab & Receptacle**

Mating Tab Width: **4.75 mm [.187 in]**

Mating Tab Thickness: **.81 mm [.032 in]**

Terminal Orientation: **Straight**

Contact Base Material: **Brass**

Features

Configuration Features

Connection Capacity	Multiple
---------------------	----------

Contact Features

Quick Disconnect Terminal Type	Tab & Receptacle
Mating Tab Width	4.75 mm[.187 in]
Mating Tab Thickness	.81 mm[.032 in]
Terminal Orientation	Straight
Contact Base Material	Brass
Terminal Plating Material	Tin
Barrel Type	Open

Mechanical Attachment

Wire Insulation Support	Without
Mating Retention Type	Dimple

Dimensions

Product Length	16.51 mm[.65 in]
----------------	------------------



Terminal Material Thickness	.81 mm[.032 in]
-----------------------------	-----------------

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]

Industry Standards

Compatible With Agency/Standards Products	UL
---	----

Packaging Features

Packaging Quantity	1000
Packaging Method	Loose Piece/Carton

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 5-160491-2 187 FASTON REC 18-14 AWG TPBR	TE Part # 170203-2 187 FASTON,REC.,24-20 AWG,TPBR	TE Part # 1742597-1 ADAPTER,FASTON,250 REC,187 TAB, BR	TE Part # 61045-2 FASTON .187 SERIES (4.8 MM) TPBR
TE Part # 170187-2 250 FASTON,REC.,22-18 AWG,TPBR	TE Part # 61765-2 FASTON ADAPTER .250 REC TPBR	TE Part # 61810-2 FASTON .250 (6.3 MM) RECEPTACLE TPBR	TE Part # 170180-2 205 FASTON,REC.,18-14 AWG,TPBR
TE Part # 8-61765-1 FASTON,ADAPTER 250 HOUSING REC&TAB TPBR	TE Part # 61765-1 FASTON ADAPTER .250 RECEPTACLE BR		


Also in the Series

FASTON 187

Crimp Terminal Housings(40)	Insertion & Extraction Tools(1)	Insulation Boots & Sleeves(1)	Joints & Splices(1)
PCB Terminals(42)	Quick Disconnects(205)	Splices(1)	

Customers Also Bought






TE Part #3-520125-2
ULTRAFAST 187 ASSY REC 16-14
TPBR LP



TE Part #63606-3
187 FASTON REC 18-14 AWG TPBZ



TE Part #643071-8
08P MTA156 FD-THRU COVER




TE Part #1-2364572-8
AVH19 FLT SS LK R+P BLU 12V16A




TE Part #34854
TERMINAL,PG R 12-10 10




TE Part #5-1393118-9
KUP-5A15-120=KU



TE Part #53440-1
ELECTRO-TAP, 18-14 AWG RUN&TAP



TE Part #177766-1
ELECTRO TAP ASSY



TE Part #3-520404-2
ULTRA-FAST 187 ASY REC 16-14 AWG
TPBR



TE Part #6-1393118-0
KUP-5A15-24=KU

Documents

Product Drawings

ADAPTER 187 FASTON TPBR

English

CAD Files

Customer View Model

ENG_CVM_CVM_63699-1_H.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_63699-1_H.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_63699-1_H.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages



FASTON Tabs

English

Product Specifications

Wire Preparation And Crimp Inspection Guide

English

Agency Approvals

Agency Approval Document

English