


MAG-MATE | MAG-MATE 187

TE Internal #: 63856-1 F-Crimp, 22 – 18 AWG Lead Wire, .3 – .8 mm² Lead Wire, .36 – .45 mm Magnet Wire, 27 – 25 AWG Magnet Wire, MAG-MATE 187, Magnet Wire Terminals

View on TE.com >

Terminals & Splices > Magnet Wire Terminals



Magnet Wire Terminal Type: F-Crimp

Compatible With Cavity Size: Size 1

Compatible Insulation Diameter (Max): 2.23 mm [.088 in]

Compatible Insulation Diameter Range: 1.8 – 2.23 mm [.071 – .088 in]

Lead Wire Size: .3 – .8 mm²

Features

TE

Product Type Features

Compatible With Discrete Wire Type	Magnet Wire, Solid
Body Features	
Compatible With Cavity Size	Size 1
Contact Features	
Magnet Wire Terminal Type	F-Crimp
Terminal Plating Material	Tin
Contact Underplating Material	Copper
Terminal Orientation	Straight
Termination Features	
Termination Method to Wire & Cable	Crimp, Insulation Displacement (IDC)
Mechanical Attachment	
Wire Insulation Support	With
Dimensions	

C For support call+1 800 522 6752

04/14/2025 04:48PM | Page 1

63856-1

F-Crimp, 22 – 18 AWG Lead Wire, .3 – .8 mm² Lead Wire, .36 – .45 mm Magnet Wire, 27 – 25 AWG Magnet Wire, MAG-MATE 187, Magnet Wire Terminals



—	
Terminal Height	4.75 mm[.187 in]
Compatible Insulation Diameter (Max)	2.23 mm[.088 in]
Compatible Insulation Diameter Range	1.8 – 2.23 mm[.071 – .088 in]
Lead Wire Size	22 – 18 AWG
Magnet Wire Size	.36 – .45 mm
Stock Thickness (Magnet Wire Side)	.33 mm[.013 in]
Product Length	11.86 mm[.466 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	-65 – 150 °C[-85 – 302 °F]
Operation/Application	
Compatible With Wire Base Material	Copper
Packaging Features	
Packaging Method	Reel, Reel/Carton

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits


63856-1

F-Crimp, 22 – 18 AWG Lead Wire, .3 – .8 mm² Lead Wire, .36 – .45 mm Magnet Wire, 27 – 25 AWG Magnet Wire, MAG-MATE 187, Magnet Wire Terminals



as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts





Also in the Series | MAG-MATE 187



Customers Also Bought

63856-1

F-Crimp, 22 – 18 AWG Lead Wire, .3 – .8 mm² Lead Wire, .36 – .45 mm Magnet Wire, 27 – 25 AWG Magnet Wire, MAG-MATE 187, Magnet Wire Terminals





Documents

Product Drawings TERM MAG-MATE F-CRIMP 0126TPBR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_63856-1_G.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_63856-1_G.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_63856-1_G.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages Magnet Wire Terminals & Splices

English

Product Specifications Application Specification

English