




Terminals & Splices > PCB Terminals



PCB Terminal Type: **Tab**
PCB Thickness (Recommended): **1.57 mm [.062 in]**
Mating Tab Width: **4.75 mm [.187 in]**
Mating Tab Thickness: **.51 mm [.02 in]**
PCB Hole Diameter: **1.32 mm [.052 in]**

Features

Product Type Features

Terminal Features	Stud Hole
-------------------	-----------

Contact Features

PCB Contact Termination Area Plating Material Thickness	3.81 μm[150 μin]
Contact Underplating Material Thickness	1.27 μm, 2.54 μm[50 μin][100 μin]
Contact Mating Area Plating Material Thickness	3.81 μm[150 μin]
PCB Terminal Type	Tab
Mating Tab Width	4.75 mm[.187 in]
Mating Tab Thickness	.51 mm[.02 in]
Terminal Plating Material	Tin
Contact Underplating Material	Brass
Terminal Size	4.75
Terminal Orientation	Straight

Termination Features

Termination Method to PCB	Through Hole - Solder
---------------------------	-----------------------



Product Terminates To	Printed Circuit Board
Mechanical Attachment	
Wire Insulation Support	With
Dimensions	
Extension Below Board	3.81 mm[.15 in]
Stud Diameter	1.4 mm[.055 in]
Terminal Material Thickness	.51 mm[.02 in]
PCB Thickness (Recommended)	1.57 mm[.062 in]
PCB Hole Diameter	1.32 mm[.052 in]
Profile Height from PCB	8.63 mm[.344 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	-30 – 110 °C[-22 – 230 °F]
Packaging Features	
Packaging Quantity	2000
Packaging Method	Bag
Product Compliance	
For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Pin-in-Paste capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these



limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 1217156-1 187 FASTON,PCB TAB,TNBR	 TE Part # 1217167-1 250 FASTON,PCB TAB,TCBR	 TE Part # 1217169-1 250 FASTON,PCB TAB,TCBR	 TE Part # 725996-2 110 FASTON TAB TPBR
 TE Part # 1217756-1 187 FASTON,TAB,TNBR	 TE Part # 1217421-1 250 FASTON,PCB TAB,TNBR	 TE Part # 62747-1 FASTON 187 TAB STAKE TPBR	 TE Part # 62705-1 187 FASTON TAB TPBR
 TE Part # 1742686-1 250 FASTON,PCB TAB,TCBR	 TE Part # 1217057-1 187 FASTON,PCB TAB,TPBR	 TE Part # 61134-3 110 FASTON TAB TPBR	 TE Part # 62437-1 110 FASTON TAB TPBR

Also in the Series | FASTON 187

 Crimp Terminal Housings(40)	 Insertion & Extraction Tools(1)	 Insulation Boots & Sleeves(1)	 Joints & Splices(1)
---------------------------------	-------------------------------------	-----------------------------------	-------------------------



PCB Terminals(42)



Quick Disconnects(205)



Splices(1)


Customers Also Bought



TE Part #EP00616001
VERSAFIT-1/4-0-22MM



TE Part #1-794079-0
24P MINI UMNL HDR W/O DH SN LF



TE Part #215298-5
5P HV100 REC CON. TE, 7.0MM,TIN



TE Part #2365497-6
EP2.5 single row SMT header,GWT,6P



TE Part #4-1971798-1
NEW GI CONN2.5 HDR ASMBLY 4P NC D1.0



TE Part #5102153-9
A/L UNIV HDR 40P VERT




TE Part #364076-E
MSPEED 91 F SMD F4 * A-G VVVV 187 094 *



TE Part #2-1879073-6
THS10 39R 5%



TE Part #7-1623931-6
CFR25 5% 820K



TE Part #053298-E
STVSKO H F 181 ABGE 40A * LP-4 1,00 * FE

Documents

Product Drawings
187 FASTON TAB TPBR
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_63982-1_H_c-63982-1-h.2d_dxf.zip

63982-1

Tab, 4.75 mm [.187 in] Tab Width, 1.32 mm [.052 in] PCB Hole, Through Hole - Solder, Tin Plating, Bag, FASTON 187, PCB Terminals



English

Customer View Model

[ENG_CVM_CVM_63982-1_H_c-63982-1-h.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_63982-1_H_c-63982-1-h.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[FASTON PCB Tabs and Receptacles](#)

English

[PRINTED CIRCUIT BOARD TERMINALS AND DISCONNECTS](#)

English

Product Specifications

[Application Specification](#)

English