
640007-3 - ACTIVE

TE Internal #: 640007-3 Closed Ring Tongue Terminal, 16 – 14 AWG, #10 Stud, 5 mm [.197 in] Stud Diameter, Open Barrel, Straight, Tin Plating, Uninsulated View on TE.com >



Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal Wire Size: 2582 – 4106 CMA

Stud Size: **#10**

Features

Product Type Features

Shape Description

Terminal Features

Circular/Oval

Sheared

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#10
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	
Number of Holes	1
Body Features	
Product Weight	1.051 g
Contact Features	
Contact Base Material	Brass
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Tin

C For support call+1 800 522 6752

640007-3

Closed Ring Tongue Terminal, 16 – 14 AWG, #10 Stud, 5 mm [.197 in] Stud Diameter, Open Barrel, Straight, Tin Plating, Uninsulated



	None		
Mechanical Attachment			
Wire Insulation Support	With		
Dimensions			
	.12 in		
Wire Size	2582 – 4106 CMA		
Stud Diameter	5 mm[.197 in]		
Tongue Thickness	.76 mm[.03 in]		
Product Length	22.1 mm[.87 in]		
Barrel Inside Diameter	2.79 mm, 3.68 mm[.11 in][.145 in]		
Compatible Insulation Diameter (Max)	4.57 mm[.18 in]		
Compatible Insulation Diameter Range	3.05 – 4.57 mm[.12 – .18 in]		
Usage Conditions			
Insulation Option	Uninsulated		
Operating Temperature Range	-40 - 110 °C[-40 - 230 °F]		
Operation/Application			

Industry Standards

Compatible With Wire Base Material

Government Qualified Terminal	No
Packaging Features	
Packaging Quantity	4000
Packaging Method	Strip/Reel
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC

Copper

640007-3

Closed Ring Tongue Terminal, 16 – 14 AWG, #10 Stud, 5 mm [.197 in] Stud Diameter, Open Barrel, Straight, Tin Plating, Uninsulated



Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



OCEAN-2.0-APPLICATOR-E-180F210F-	SPADE 16-14 AWG .0305 X .955 TPCU	TERM SPADE IS 16-14 0305 TPCU	RT.197 DIA TERMINAL 16-13 AWG
REA			TPBR




Customers Also Bought



640007-3

Closed Ring Tongue Terminal, 16 – 14 AWG, #10 Stud, 5 mm [.197 in] Stud Diameter, Open Barrel, Straight, Tin Plating, Uninsulated







Documents

Product Drawings RING TERMINAL 16-14 AWG TPBR

English

CAD Files 3D PDF

3D

Customer View Model ENG_CVM_CVM_640007-3_R_c-640007-3-r.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_640007-3_R_c-640007-3-r.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_640007-3_R_c-640007-3-r.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Engineering Report

English

Agency Approvals UL Report

English