




Connectors > Connector Accessories > Connector Hardware



Connector Hardware Accessory Type: **Keying Plug**

Primary Product Color: **Natural**

Primary Product Material: **Nylon 6/6**

Operating Temperature (Max): **105 °C [221 °F]**

Operating Temperature Range: **-55 – 105 °C [-67 – 221 °F]**

Features

Product Type Features

Connector Hardware Accessory Type	Keying Plug
Hardware Accessory Function	Coding & Keying

Body Features

Primary Product Color	Natural
Primary Product Material	Nylon 6/6

Usage Conditions

Operating Temperature (Max)	105 °C[221 °F]
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]

Industry Standards

UL Flammability Rating	UL 94V-2
------------------------	----------

Packaging Features

Packaging Method	Bag
Packaging Quantity	2500

Product Compliance



For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # CAT-103156-WBHSM
Receptacle Housing: Wire-to-Board, with Mating Alignment, SL156

TE Part # 5-770849-2
02P SL156 HSG W/LCK RMP & TABS RED

TE Part # 2327576-1
06P SL156 HSG NO3P THRU BD LTH UL94V0

TE Part # 2-2132074-0
20Pos SL156 Contact Retainer

TE Part # 640255-1
KEYING PIN .045 SQ PST CONN

TE Part # CAT-103156-RECHS
Connector Housing, Rectangular, 3.96 mm, 1 Row

TE Part # 3-770849-2
02P SL156 HSG W/LCK RMP & TABS BLACK



Also in the Series

SL-156

Connector Contacts(23)	Connector Hardware(4)	Insertion & Extraction Tools(1)	Power Contacts(13)
Rectangular Connector Housings(144)	Rectangular Power Connectors(144)	Wire-to-Board Connector Assemblies & Housings(6)	

Customers Also Bought

TE Part #350080-1 RING TERMINAL 18-14 0.245 X 1.110 TPSTL	TE Part #41449 250 FASTON REC 14-10 AWG BR	TE Part #770849-8 08P SL156 HSG W/LCK RMP & TABS	TE Part #1-330021-0 SPLICE,CE ECON 22-16
TE Part #521437-2 ULTRA-POD 110 ASSY REC 22-18 AWG TPBR	TE Part #3-770476-1 SL156 RECPT, SNNI/PHBZ	TE Part #647344-7 07P SL156 HSG W/RP TB BLK #3	TE Part #1-640251-3 13P SL156 HSG W/O LCK RAMP
TE Part #2-324485-1 WIRE CAP RED .080-.115	TE Part #520935-9 PL&STANDARD FASTON 250 HOUSING REC BLA		



Documents

Product Drawings

KEYING PLUG .045 SQ PST CONN

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_640254-1_K_c-640254-1-k.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_640254-1_K_c-640254-1-k.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_640254-1_K_c-640254-1-k.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

Japanese

Application Specification

English

MTA 156 Ribbon Cable Connector Assemblies (English And Spanish)

English

MTA 156 Ribbon Cable Connector Assemblies (English And Spanish)

Japanese

Application Specification

English

Agency Approvals

CSA Certificate

English