65009-004-513 ~ ACTIVE

DEUTSCH

TE Internal #: 65009-004-513 H Rail for Relay, -85 – 392 °C [-85 – 392 °F], Terminal Junction Modules

View on TE.com >



Connectors > Terminal Junction Modules & Accessories > Terminal Junction Modules

0000	
0000	
05/75CH 65009-004	= TE

Terminal Junction System Component Type: H Rail for Relay

Operating Temperature Range: -85 – 392 °C [-85 – 392 °F]

Features

Product Type Features

Terminal Junction System Component Type

Usage Conditions

Operating Temperature Range

H Rail for Relay

-85 - 392 °C[-85 - 392 °F]

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides


H Rail for Relay, -85 – 392 °C [-85 – 392 °F], Terminal Junction Modules



on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Customers Also Bought





Documents

Product Drawings MODULE ASSY

English

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_65009-004-513_99.2d_dxf.zip

English

Customer View Model ENG_CVM_CVM_65009-004-513_99.3d_igs.zip

English

65009-004-513

H Rail for Relay, -85 – 392 °C [-85 – 392 °F], Terminal Junction Modules



Customer View Model ENG_CVM_CVM_65009-004-513_99.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages DEUTSCH CTJ Series Common Termination System

English