




Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Tab**
Wire Size: **5180 – 13100 CMA**
Mating Tab Width: **6.35 mm [.25 in]**

Features

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Contact Features

Quick Disconnect Terminal Type	Tab
Mating Tab Width	6.35 mm[.25 in]
Mating Tab Thickness	.1 mm[.039 in]
Terminal Orientation	Straight
Contact Base Material	Copper Alloy
Terminal Plating Material	Tin
Crimp Type	Compression Crimp
Barrel Type	Closed

Termination Features

Product Terminates To	Wire & Cable
-----------------------	--------------

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions



Product Length	27.94 mm[1.1 in]
Compatible Insulation Diameter Range	5.84 mm[.23 in]
Wire Size	5180 – 13100 CMA

Usage Conditions

Insulation Option	Partially Insulated
-------------------	---------------------

Packaging Features

Packaging Quantity	500
Packaging Method	Box

Other

Barrel Color	Yellow
--------------	--------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 58423-1
DIE, RBYS9252



TE Part # 58433-3
PRO CR ASSY, RBYS9252




TE Part # 2217484-2
KIT, BTLI, HEAVY HEAD



TE Part # 169400
CERTI-LOK FRAME W/O DIES



TE Part # 2217484-1
KIT, BTLI, HEAVY HEAD



TE Part # 47808-6
DIES PIDG 12-10 DIE SET



TE Part # 539691-2
ERGO DIE R.B.Y



TE Part # 169404
CERTI-LOK DIE



TE Part # 2063030-1
SDE DIESET, RBYS, UL



TE Part # 2217330-1
KIT, BTLI, 4 TON, NA



TE Part # 59824-1
TETRA-CRIMP PIDG PG FASTON 22-10 ASSY



TE Part # 59239-4
HHHT PIDG PG 12-10 ASSY

Customers Also Bought



TE Part #YDTS20F13-04SNV001
RECP ASSY




TE Part #5053142077
RNF-100-3/8-0-STK



TE Part #6-1415035-1
RT78726



TE Part #640907-1
RECEPT,PIDG FASTON 12-10 250



TE Part #2084930-1
ELBC-824-3570-SC




TE Part #9-1827864-4
DYNAMIC 1200D REC HSG 8P X BLACK




TE Part #321598
TERMINAL,SOLIS R 6 1/4



TE Part #823747-000
362A014-4-0



TE Part #4-521098-2
ULTRA-FAST 250 ASSEMBLY 12-10
AWG TPBR



TE Part #66023-2
TAB, PIDG TERMI-BK 22-16

Documents

Product Drawings

TAB, PIDG TERMI-BK 12-10

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_66025-2_R.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_66025-2_R.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_66025-2_R.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English