




EMI & EMC Solutions > EMI Filters > Power Line Filters > Single Phase Filters > Single Phase Filters, Corcom K Series



Current Rating: 3 A

Input Termination Type: FASTON

Output Termination Type: .250" FASTON

Leakage Current (Max) (120VAC, 60Hz): .21 mA

Leakage Current (Max) (250VAC, 50Hz): .36 mA

[All Single Phase Filters, Corcom K Series \(34\)](#)

Features

Product Type Features

Filtering Requirements	Filtered
Ground Choke Option	No
Input Termination Type	FASTON
Output Termination Type	.250" FASTON

Electrical Characteristics

Current Rating	3 A
Leakage Current (Max) (120VAC, 60Hz)	.21 mA
Leakage Current (Max) (250VAC, 50Hz)	.36 mA
Operating Voltage	250 VAC

Mechanical Attachment

Panel Mount Feature Type	Flange
--------------------------	--------

Usage Conditions

Operating Temperature Range	-10 – 40 °C
-----------------------------	-------------



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # CAT-C8114-K1
Single Phase Filters, Corcom K Series

TE Part # CAT-C8114-M989
Single Phase Filters, Corcom MV Series

Also in the Series | Corcom K



Single Phase Filters(34)

Customers Also Bought




TE Part #1-1423696-6
BOOTSEAL,M11,CLEAR,SILICONE




TE Part #8-1618404-1
LEV200AKNAF=RELAY, SPST-NO 72VDC



TE Part #5-103639-7
08 MTE HDR SRST LATCH .100CL



TE Part #2381880-8
PBES16 28 INCA 60V AC/DC 20 mA 000 1NC



TE Part #1586037-2
2P VERT HDR VAL-U-LOK V2




TE Part #5-2176230-7
3522 39K 5% 3W



TE Part #66589-1
TYPE VI PIN CONT,M-MATE,LP



TE Part #2138530-1
STRAIN RELIEF,14 POSITION AMPSEAL



TE Part #5-103639-2
03 MTE HDR SRST LATCH .100CL



TE Part #T4140012051-000
M12,REAR MOUNTING,MALE,A CODE,5P

Documents

Product Drawings

3EK1=F7085 S0

English

CAD Files

Customer View Model

ENG_CVM_CVM_6609027-5_B.3d_igs.zip

English

Customer View Model



[ENG_CVM_CVM_6609027-5_B.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_6609027-5_B.2d_dxf.zip](#)

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[1654001_CORCOM_PRODUCT_GUIDE_K_SERIES](#)

English

Corcom Combined Selector Charts

English

[1-1654250-1_CORCOM_EMI_RFI_QRG](#)

English