




EMI & EMC Solutions > EMI Filters > Power Entry Modules > CORCOM M SERIES MULTI-FUNCTION INLET FIL



Filter Type: **Power Entry Module**
Input Voltage Selection: **Quad AC**
Filter Switch Type: **DPST**
Filter Shield Type: **Filter Shield**
Product Orientation: **Right Angle**

[All CORCOM M Series Multi-Function Inlet Fil \(28\)](#)

Features

Product Type Features

Ground Choke Option	No
Filter Type	Power Entry Module
Filter Switch Type	DPST
Output Termination Type	.110" FASTON
Filtering Requirements	Filtered
Filter Connector Type	IEC 320/C-14

Configuration Features

Fuse Options	Dual, Single
--------------	--------------

Electrical Characteristics

Input Voltage Selection	Quad AC
Leakage Current (Max) (120VAC, 60Hz)	300 μ A
Leakage Current (Max) (250VAC, 50Hz)	500 μ A



Current Rating	3 A
Operating Voltage	120 VAC, 240 VAC

Body Features

Filter Shield Type	Filter Shield
Product Orientation	Right Angle

Mechanical Attachment

Panel Mount Feature Type	Flange
--------------------------	--------

Usage Conditions

Operating Temperature Range	-10 – 40 °C
-----------------------------	-------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (3.2% in M-16609-1) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts

TE Part # CAT-C8114-M1
CORCOM M SERIES MULTI-FUNCTION INLET FIL

Also in the Series | Corcom M

EMI & EMC Accessories(2)

Potentiometers(5)

Power Entry Modules(28)

Customers Also Bought

TE Part #1-6609130-3
5EHM1S=F8115

TE Part #CAT-P592-R472A
PIDG Ring Tongue Terminals

TE Part #1658620-1
10 NOVO MIL 15DP, LEAD FREE

TE Part #3-643813-3
03P MTA100 CONN ASSY POL RIB

TE Part #3-644042-5
05P MTA100 CONN ASSY LF

TE Part #640917-1
RECEPT,PIDG FASTON 22-18 187

TE Part #CAT-104MTA-NYLCC
Nylon PCB Connector Covers: 2.54 mm, MTA 100

Documents

Product Drawings
3EXM1S=F8119

English

CAD Files



Customer View Model

[ENG_CVM_CVM_6609131-7_C1.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_6609131-7_C1.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_6609131-7_C1.2d_dxf.zip](#)

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[1654001_CORCOM_PRODUCT_GUIDE_M_SERIES](#)

English

Corcom Combined Selector Charts

English