


#### **CROWN EDGE**

TE Internal #: 6651170-1 Board-to-Board Card Edge Power Connector, 4 Position, 2.5 mm [. 098 in] Centerline, Power, 4 Power Positions, 0 Signal Positions, CROWN EDGE

#### View on TE.com >

Connectors > PCB Connectors > Card Edge Connectors > Card Edge Power Connectors



Connector System: Board-to-Board

Number of Positions: 4

Centerline (Pitch): 2.5 mm [.098 in]

Contact Current Rating (Max): 3 A, 35 A

Circuit Application: Power

### Features

**E** 

### Product Type Features

Connector & Contact Terminates To	Printed Circuit Board
Connector & Housing Type	Receptacle
Connector System	Board-to-Board
Configuration Features	
PCB Mount Orientation	Vertical
Number of Positions	4
Number of Power Positions	4
Number of Signal Positions	0
Number of Dual Positions	2
Electrical Characteristics	
Operating Voltage	250 V
Body Features	
Primary Product Color	Black

Board-to-Board Card Edge Power Connector, 4 Position, 2.5 mm [.098 in] Centerline, Power, 4 Power Positions, 0 Signal Positions, CROWN EDGE



### **Contact Features**

	100 µin
Contact Base Material	Phosphor Bronze
Power Contact Base Material	Phosphor Bronze Alloy
Power Contact Plating Material	Select Gold
PCB Contact Termination Area Plating Material	Tin
PCB Contact Termination Area Plating Material Finish	Matte
Contact Mating Area Plating Material Thickness	.76 μm[30 μin]
Contact Current Rating (Max)	3 A, 35 A
Contact Mating Area Plating Material	Gold (Au)
Termination Features	
Termination Post & Tail Length	5.08 mm[.2 in]
Termination Method to PCB	Through Hole - Press-Fit
Mechanical Attachment	
Connector Mounting Type	Board Mount
Housing Features	
Housing Material	Thermoplastic
Centerline (Pitch)	2.5 mm[.098 in]
Dimensions	
PCB Thickness (Recommended)	3.18 mm[.125 in]
Connector Height	15 mm
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Operation/Application	
Circuit Application	Power
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	192

## Product Compliance

For compliance documentation, visit the product page on TE.com>

Board-to-Board Card Edge Power Connector, 4 Position, 2.5 mm [.098 in] Centerline, Power, 4 Power Positions, 0 Signal Positions, CROWN EDGE



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 265°C


#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**

=TE
TE Part # 2343428-1 HD+ CE, RA, CRPS


# Also in the Series | CROWN EDGE




Board-to-Board Card Edge Power Connector, 4 Position, 2.5 mm [.098 in] Centerline, Power, 4 Power Positions, 0 Signal Positions, CROWN EDGE



## Customers Also Bought





TE Part #5-102920-2 MOD IV RECP LP LF



TE Part #5-102617-3

### Documents

**Product Drawings** 285-0102-12300=CONN,SKT,SLDR

English

**CAD** Files

3D PDF

3D

**Customer View Model** ENG\_CVM\_CVM\_6651170-1\_B.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_6651170-1\_B.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_6651170-1\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

**C** For support call+1 800 522 6752

04/14/2025 05:39PM | Page 4

Board-to-Board Card Edge Power Connector, 4 Position, 2.5 mm [.098 in] Centerline, Power, 4 Power Positions, 0 Signal Positions, CROWN EDGE



Datasheets & Catalog Pages POWER\_CONNECTORS\_CATALOG\_SEC03\_CARD\_EDGE

English

Product Specifications Application Specification

English