
696394-2 - ACTIVE

PIDG

TE Internal #: 696394-2 Wire Pin, 1.78 mm [.07 in] Pin Diameter, 17 – 13 AWG, 1 – 2.5 mm² Wire, 1974 – 5131 CMA, Closed Barrel, Tin Plating, 20.39 mm [.803 in] Length, PIDG

View on TE.com >





Crimp Wire Terminal Type: Wire Pin

Mating Pin Diameter: 1.78 mm [.07 in]

Compatible Insulation Diameter Range: 4.33 mm, 2.92 – 4.31 mm [.171 in, .115 – .17 in]

Wire Size: 1 – 2.5 mm²

Features

Product Type Features



Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	
Compatible With Wire & Cable Type	Discrete Wire
Body Features	
Sleeve Material	Copper
Primary Product Color	Blue
Insulation Material	PVC
Contact Features	
Contact Mating Area Length	6.73 mm[.265 in]
Contact Fabrication	Stamped & Formed
Crimp Wire Terminal Type	Wire Pin
Mating Pin Diameter	1.78 mm[.07 in]

C For support call+1 800 522 6752

696394-2

Wire Pin, 1.78 mm [.07 in] Pin Diameter, 17 – 13 AWG, 1 – 2.5 mm² Wire, 1974 – 5131 CMA, Closed Barrel, Tin Plating, 20.39 mm [.803 in] Length, PIDG



Barrel Type	Closed	
Terminal Plating Material	Tin	
Contact Shape & Form	Round	
Terminal Orientation	Straight	
Mechanical Attachment		
Wire Insulation Support	With	
Dimensions		
Compatible Insulation Diameter Range	4.33 mm, 2.92 – 4.31 mm[.171 in][.115 – .17 in]	
Wire Size	1974 – 5131 CMA	
Terminal Material Thickness	.79 mm[.031 in]	
Overall Product Length	20.39 mm[.803 in]	
Usage Conditions		
Insulation Option	Partially Insulated	
Packaging Features		
Packaging Quantity	4000	
Packaging Method	Tape Mounted	

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	
Solder Process Capability	Not applicable for solder process capability	

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent

696394-2

Wire Pin, 1.78 mm [.07 in] Pin Diameter, 17 – 13 AWG, 1 – 2.5 mm² Wire, 1974 – 5131 CMA, Closed Barrel, Tin Plating, 20.39 mm [.803 in] Length, PIDG



chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts



Also in the Series | PIDG



Compression Connectors(17)	Crimp Wire Pins, Tabs & Ferrules(41)	Knife Disconnects(11)	Quick Disconnects(38)
	and		
Ring Terminals(588)	Spade Terminals(228)	Special Purpose Terminals(1)	Splices(41)

Customers Also Bought

696394-2

Wire Pin, 1.78 mm [.07 in] Pin Diameter, 17 – 13 AWG, 1 – 2.5 mm² Wire, 1974 – 5131 CMA, Closed Barrel, Tin Plating, 20.39 mm [.803 in] Length, PIDG







Documents

Product Drawings

TERM, WIRE PIN, PIDG, 16-14, T&R

English

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_696394-2_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_696394-2_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_696394-2_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.