
696422-3 - ACTIVE

PIDG

TE Internal #: 696422-3 Closed Ring Tongue Terminal, 22 – 16 AWG, #6 / M3.5 Stud, 3.68 mm [.145 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, PIDG

View on TE.com >

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 509 – 3260 CMA

Stud Size: #6, M3.5

Features

Product Type Features



Terminal Features	Sheared	
Ring Terminal Product Type	Closed Ring Tongue Terminal	
Stud Size	#6, M3.5	
Sealable	No	
Wire Insulation Support Retention Type	Insulation Support	
Configuration Features		
Number of Holes	1	
Body Features		
Product Weight	.765 g	
Insulation Sleeve Color	Natural	
Stripe Color	Red	
Contact Features		
Barrel Type	Closed	
Terminal Orientation	Straight	
Terminal Plating Material	Tin	

Closed Ring Tongue Terminal, 22 – 16 AWG, #6 / M3.5 Stud, 3.68 mm [.145 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, PIDG



Mechanical Attachment

Wire Insulation Support	With
Dimensions	
	.08 in
Wire Size	509 – 3260 CMA
Stud Diameter	3.68 mm[.145 in]
Tongue Thickness	.79 mm[.031 in]
Product Length	17.2 mm[.677 in]
Compatible Insulation Diameter (Max)	3.18 mm[.125 in]
Compatible Insulation Diameter Range	2.03 – 3.18 mm[.08 – .125 in]
Usage Conditions	
Insulation Option	Partially Insulated
Operation/Application	
Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin
Industry Standards	

Packaging Features

Packaging Quantity	1000
Packaging Method	Loose Piece
Product Compliance	
For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

C For support call+1 800 522 6752

Closed Ring Tongue Terminal, 22 – 16 AWG, #6 / M3.5 Stud, 3.68 mm [.145 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, PIDG




Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts


			1221 014 55423-1-D R AM ² 58423-1-D
TE Part # 59300 T-HEAD PIDG PG 26-16 ASSY	TE Part # 59824-1 TETRA-CRIMP PIDG PG FASTON 22- 10 ASSY	TE Part # 47806-2 DIES PIDG 22-16 DIE SET	TE Part # 58423-1 DIE, RBY IS9252



Also in the Series | PIDG

Closed Ring Tongue Terminal, 22 – 16 AWG, #6 / M3.5 Stud, 3.68 mm [.145 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, PIDG





Customers Also Bought



TE Part #3-582118-9 TEST PROBE REC130 BI WHT GPBR	TE Part #6609065-1 1EDP=F7687 S0	TE Part #3-2176070-1 3521 180R 1% 2W	TE Part #2-34107-2 SOLIS R 22-16 COMM 22-18 MIL 6
AND	HH	The second s	Carles TE
TE Part #280393-2 2X22P MODU II SHRD HDR,RT ANG, AU	TE Part #4-794632-0 10P MICRO MNL ASSY,VRT,HDR,LF	TE Part #CAT-AM74-UN384H AMP-LATCH UNIVERSAL HEADERS	TE Part #5227699-3 BNC PCB VERTICAL



Documents

Closed Ring Tongue Terminal, 22 – 16 AWG, #6 / M3.5 Stud, 3.68 mm [.145 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, PIDG



Product Drawings PIDG PVF2 R 22-16COM22-18MIL 6

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_696422-3_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_696422-3_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_696422-3_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.