



Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Insulation Boots & Sleeves



Insulation Boot & Sleeve Product Type: **Insulation Boot**

Terminal Orientation: **Flag**

Primary Product Material: **PA 66**

Primary Product Color: **Black**

Packaging Method: **Bag**

Features

Product Type Features

Insulation Boot & Sleeve Product Type	Insulation Boot
---------------------------------------	-----------------

Body Features

Primary Product Material	PA 66
Primary Product Color	Black

Contact Features

Terminal Orientation	Flag
----------------------	------

Usage Conditions

Operating Temperature Range	-25 – 105 °C[-13 – 221 °F]
-----------------------------	----------------------------

Industry Standards

UL Flammability Rating	UL 94V-2
------------------------	----------

Packaging Features

Packaging Quantity	1000
Packaging Method	Bag



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 8-180984-2
250 FASTON BOOT FLAG REC. 1P
NATURAL



TE Part # 2-180930-1
250 FASTON HSG.,REC.,1 POS,RED



TE Part # 180464-1
250 FASTON,FLAG,REC.,14-17AWG,
LATON




TE Part # 881339-3
SLEEVE FOR .250 SRS FASTON TAB

Also in the Series | FASTON 250



Compression Connectors(4)




Crimp Terminal Housings(116)



Insertion & Extraction Tools(6)



Insulation Boots & Sleeves(16)



Magnet Wire Terminals(1)



PCB Terminals(134)



Quick Disconnects(421)




Splices(4)

Customers Also Bought



TE Part #2309873-2
6POS,NANOMQS,REC HSG ASSY,
COD B



TE Part #1544113-4
CLIP DRAP. 6,3 G1



TE Part #185010-2
HEADLIGHT HOUSING HOUSING



TE Part #1544351-1
CAP.CLIP DRAPEAU 6



TE Part #2035334-8
CONTACT, FEMALE0.64 ,20.35SQMM




TE Part #2312212-1
12POS,NANOMQS,REC HSG,COD A



TE Part #2333102-1
2POS,NANOMQS,REC HSG ASSY,
COD A



TE Part #2333103-2
3POS,NANOMQS,REC HSG ASSY,
UNSLD,COD B



TE Part #1801610-2
BULK HEAD, MCON, 10W, CLIPPED



TE Part #968807-9
3POS MQS REC COD Z

Documents



CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_7-180984-5_AY.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_7-180984-5_AY.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_7-180984-5_AY.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Blocchetto di protezione per capicorda lamellari femmina a bandiera serie .250

Product Specification