PMOSODHX0 <

Corcom | Corcom P TE Internal #: 7-6609940-0 Power Entry (Filtered/Unfiltered), Single AC Input, DPST, None, Vertical, 10 A, .187 " FASTON Output, 115 VAC / 230 VAC, Corcom P, Power Entry Modules

View on TE.com >

EMI & EMC Solutions > EMI Filters > Power Entry Modules > CORCOM P SERIES MULTI-FUNCTION INLET FIL



Filter Type: Power Entry (Filtered/Unfiltered) Input Voltage Selection: Single AC

Filter Switch Type: DPST

Filter Shield Type: None

Product Orientation: Vertical

All CORCOM P SERIES MULTI-FUNCTION INLET FIL (261)



Features

Product Type Features

Ground Choke Option	No
Level Of Filtering	Inductor & Capacitor
Filter Type	Power Entry (Filtered/Unfiltered)
Filter Switch Type	DPST
Output Termination Type	.187" FASTON
Filtering Requirements	Filtered
Filter Connector Type	IEC 60320-1 C-14
Configuration Features	
Extender Options	None
Fuse Options	Dual
Electrical Characteristics	
Input Voltage Selection	Single AC

PM0S0DHX0

Power Entry (Filtered/Unfiltered), Single AC Input, DPST, None, Vertical, 10 A, .187" FASTON Output, 115 VAC / 230 VAC, Corcom P, Power Entry Modules



Leakage Current (Max) (120VAC, 60Hz)	2 μΑ
Leakage Current (Max) (250VAC, 50Hz)	5 μΑ
Current Rating	10 A
Operating Voltage	115 VAC, 230 VAC
Body Features	
Filter Shield Type	None
Product Orientation	Vertical
Mechanical Attachment	
Panel Mount Feature Type	Flange
Dimensions	
Panel Thickness (Recommended)	.79 – 2 mm[.031 – .079 in]
Usage Conditions	
Operating Temperature Range	-10 – 40 °C
Product Compliance	
For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant

EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides

PM0S0DHX0

Power Entry (Filtered/Unfiltered), Single AC Input, DPST, None, Vertical, 10 A, .187" FASTON Output, 115 VAC / 230 VAC, Corcom P, Power Entry Modules




on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts




Also in the Series | Corcom P



Customers Also Bought





Documents

Product Drawings

C For support call+1 800 522 6752

PM0S0DHX0

Power Entry (Filtered/Unfiltered), Single AC Input, DPST, None, Vertical, 10 A, .187" FASTON Output, 115 VAC / 230 VAC, Corcom P, Power Entry Modules



PM0S0DHX0=C3384

English

CAD Files Customer View Model

ENG_CVM_7-6609940-0_A.3d_igs.zip

English

Customer View Model

ENG_CVM_7-6609940-0_A.3d_stp.zip

English

Customer View Model ENG_CVM_7-6609940-0_A.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_7-6609940-0_O.3d_igs.zip

English

Customer View Model ENG_CVM_CVM_7-6609940-0_O.3d_stp.zip

English

Customer View Model ENG_CVM_CVM_7-6609940-0_O.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

Corcom Combined Selector Charts

English

1-1654250-1_CORCOM_EMI_RFI_QRG

English