


SOLISTRAND

TE Internal #: 726345-1 Closed Ring Tongue Terminal, 4 AWG, M6 Stud, 6.5 mm [.256 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Uninsulated View on TE.com > connectivity

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 21 mm²

Stud Size: M6

Stud Diameter: 6.5 mm [.256 in]

Features

Product Type Features

| Ring Terminal Product Type | Closed Ring Tongue Terminal | |
|--|-----------------------------|--|
| Stud Size | M6 | |
| Sealable | No | |
| Wire Insulation Support Retention Type | Non-Insulation Support | |
| Configuration Features | | |
| Number of Holes | 1 | |
| Body Features | | |
| Product Weight | 6.75 g | |
| Contact Features | | |
| Barrel Type | Closed | |
| Terminal Orientation | Straight | |
| Terminal Plating Material | Tin | |
| Mechanical Attachment | | |
| Wire Insulation Support | Without | |
| Dimensions | | |

C For support call+1 800 522 6752

726345-1

Closed Ring Tongue Terminal, 4 AWG, M6 Stud, 6.5 mm [.256 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Uninsulated



| Wire Size | 21 mm ² |
|---------------------------------------|--------------------|
| Stud Diameter | 6.5 mm[.256 in] |
| Tongue Thickness | .79 mm[.031 in] |
| Product Length | 25 mm[.984 in] |
| Usage Conditions | |
| Insulation Option | Uninsulated |
| Operation/Application | |
| Compatible With Wire Base Material | Copper |
| Compatible With Wire Plating Material | Tin |
| Industry Standards | |
| Government Qualified Terminal | No |
| Packaging Features | |
| Packaging Quantity | 300 |
| Packaging Method | Box |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant | |
|---|---|--|
| EU ELV Directive 2000/53/EC | Compliant | |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold | |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC | |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free | |
| Solder Process Capability | Not applicable for solder process capability | |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous

726345-1

Closed Ring Tongue Terminal, 4 AWG, M6 Stud, 6.5 mm [.256 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Uninsulated



materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought



| | E TE | | YJ. |
|----------------------------|--------------------------------|--------------------------|---------------------|
| TE Part #ZPF00000000006925 | TE Part #CAT-J67-DSCC16 | TE Part #165292 | TE Part #CB03334007 |
| 951-07 R 14-5 S 50 | DEUTSCH Size 16 Crimp Contacts | SOLIS DIN 0.5-1.0 R M3.5 | RW-200-E-1/4-0-SP |



Documents

Product Drawings SO RINGZUNGE D46234

726345-1

Closed Ring Tongue Terminal, 4 AWG, M6 Stud, 6.5 mm [.256 in] Stud Diameter, Closed Barrel, Straight, Tin Plating, Uninsulated



English