749806-9 - ACTIVE

AMPLIMITE

TE Internal #: 749806-9 25 Position D-Shaped Connector, Receptacle, Cable-to-Cable, Panel Mount, 3 Shell Size, 2.74 mm [.108 in] Centerline, Wire & Cable, Signal

View on TE.com >

Connectors > D-Shaped Connectors > D-Sub Crimp Recpt Signal 25 Posn, Socket Size 20, Shell Size 3



Number of Positions: 25
Connector & Housing Type: Receptacle
Connector System: Cable-to-Cable
Connector Mounting Type: Panel Mount
Connector Shell Size: 3

All D-Sub Crimp Recpt Signal 25 Posn, Socket Size 20, Shell Size 3 (9)



Features

Product Type Features

Shell Material Configuration	Full Metal Shell
Sealable	No
Connector & Housing Type	Receptacle
Connector System	Cable-to-Cable
Connector Shell Size	3
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	25
Body Features	
Shell Plating Material	Tin over Copper
Mating Retention Feature Material	Stainless Steel
Primary Product Color	Black

25 Position D-Shaped Connector, Receptacle, Cable-to-Cable, Panel Mount, 3 Shell Size, 2.74 mm [.108 in] Centerline, Wire & Cable, Signal



Insert Material	Nylon GF
Contact Features	
Contact Size	Size 20
Contact Options	Supplied – Uninstalled
Termination Features	
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Mounting Feature Material	Steel
Mating Retention	With
Mating Retention Type	Mounting Holes
Mating Retention Feature Plating Material	Zinc
Connector Mounting Type	Panel Mount
Housing Features	
Housing Material	Nylon GF, Polyester GF
Shell Material	Steel
Centerline (Pitch)	2.74 mm[.108 in]

Dimensions

Compatible Insulation Diameter Range	4.7 – 8.13 mm
Wire Size	24 – 20 AWG
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Operation/Application	
Shielded	Yes
Circuit Application	Signal
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Kit, Package
Packaging Quantity	1

Product Compliance

For compliance documentation, visit the product page on TE.com>

25 Position D-Shaped Connector, Receptacle, Cable-to-Cable, Panel Mount, 3 Shell Size, 2.74 mm [.108 in] Centerline, Wire & Cable, Signal




EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Customers Also Bought



25 Position D-Shaped Connector, Receptacle, Cable-to-Cable, Panel Mount, 3 Shell Size, 2.74 mm [.108 in] Centerline, Wire & Cable, Signal







Documents

Product Drawings KIT,HDP-20,RCPT,SIZE 3, 25 POS

English

CAD Files 3D PDF

3D

Customer View Model ENG_CVM_CVM_749806-9_J.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_749806-9_J.3d_igs.zip

English

Customer View Model

```
ENG_CVM_CVM_749806-9_J.3d_stp.zip
```

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product SpecificationsApplication SpecificationEnglishApplication SpecificationEnglishInstruction SheetsInstruction Sheet (U.S.)

English

25 Position D-Shaped Connector, Receptacle, Cable-to-Cable, Panel Mount, 3 Shell Size, 2.74 mm [.108 in] Centerline, Wire & Cable, Signal



Agency Approvals CSA Certificate

English