




Connectors > Rectangular Connectors > Standard Rectangular Connectors



Connector Product Type: **Housing**
Connector & Housing Type: **Receptacle**
Termination Method to Wire & Cable: **Crimp**
Connector System: **Wire-to-Panel, Wire-to-Wire**
Contact Retention Within Housing: **Without**

Features

Product Type Features

Connector Product Type	Housing
Connector & Housing Type	Receptacle
Connector System	Wire-to-Panel, Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	4
Number of Rows	1

Electrical Characteristics

Operating Voltage	600 VAC
-------------------	---------

Body Features

Primary Product Color	Natural
-----------------------	---------

Contact Features

--	--



Contact Layout	Inline
Contact Type	Pin
Contact Retention Within Housing	Without

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Mechanical Attachment

Connector Mounting Type	Panel Mount
-------------------------	-------------

Housing Features

Housing Material	Nylon
Centerline (Pitch)	9.91 mm[.39 in]

Dimensions

	1.22 in
--	---------

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Industry Standards

Glow Wire Rating	Standard Part - Not Glow Wire
UL Flammability Rating	UL 94V-2

Packaging Features

Packaging Quantity	1
Packaging Method	Package

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC



Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 61251-1
AUTO MNL .156 PIN L/P

TE Part # 61086-1
.156 MNL PIN 20-14 PTPBR

TE Part # 61234-1
.156 MNL PIN 12-10 PTPBR

TE Part # 794116-1
04P .156 MNL PLUG

TE Part # 61253-1
AUTO MNL .156 PIN L/P

Also in the Series | Commercial MATE-N-LOK

Connector Contacts(150)

Crimp Wire Pins, Tabs & Ferrules(2)

Power Contacts(146)


Rectangular Connector Housings(118)



Rectangular Power Connectors(182)




Standard Circular Connectors(2)



Standard Rectangular Connectors(126)

Customers Also Bought



TE Part #1-480416-1
FASTON 250 REC HSG 1CIR NYLON BLK




TE Part #1217039-1
TIMER CONNECTOR GEN 3 18-14 POST-TPBR



TE Part #172763-1
250 PL MKII FLAG REC. 18-14AWG PTBR



TE Part #40524
RING TERMINAL 12-10 AWG TPBR



TE Part #63522-1
250 FASTON TAB 20-15 AWG NPST



TE Part #61085-1
.156 MNL SOK PTPBR



TE Part #1744001-4
04P MTA156 HDR POL .045SQ TIN



TE Part #41711
RING TERMINAL 22-18 AWG TPBR



TE Part #61233-1
.156 MNL SOK 12-10 PTPBR



TE Part #794537-1
09P UMNL PLUG HSG 150C BLK

Documents

Product Drawings

04P .156 MNL CAP PANEL MOUNT

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_794118-1_C.2d_dxf.zip



English

Customer View Model

[ENG_CVM_794118-1_C.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_794118-1_C.3d_stp.zip](#)

English

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_794118-1_E.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_794118-1_E.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_794118-1_E.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[SOFT_SHELL_PIN_SOCKET_CONNECTORS_STANDARD_DENSITY](#)

English

Product Specifications

[Application Specification](#)

English