



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Jumpers & Shunts



Connector System: **Wire-to-Board**

Number of Positions: **5**

Centerline (Pitch): **2.54 mm [.1 in]**

Product Length: **50.8 mm [2 in]**

Connector & Contact Terminates To: **Printed Circuit Board**

Features

Product Type Features

Compatible With Discrete Wire Type	Solid
Connector System	Wire-to-Board
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

Number of Conductors	5
Number of Rows	1
Number of Positions	5

Electrical Characteristics

Operating Voltage	300 VAC
Impedance	114 Ω

Body Features

Jumper Insulation Material	PTFE
----------------------------	------

Contact Features

--	--



Pin Arrangement (Right)	A
Pin Arrangement (Left)	A
Contact Current Rating (Max)	3 A

Mechanical Attachment

Connector Mounting Type	Panel Mount
-------------------------	-------------

Housing Features

Centerline (Pitch)	2.54 mm[.1 in]
--------------------	----------------

Dimensions

Wire Size	24 AWG
Product Length	50.8 mm[2 in]

Usage Conditions

Operating Temperature Range	-40 – 150 °C[-40 – 302 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power
---------------------	-------

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 265°C


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides




on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 8-1437187-0
[FST-22A-4](#)




TE Part # 6-1437187-6
[FST-22A-2](#)




TE Part # 9-6474612-6
[FSN-23A-15](#)




TE Part # 1-1437130-3
[FSN-11A-15](#)= "JUMPER NOMEX, STD.




TE Part # 5-1437187-8
[FST-22A-12](#)



TE Part # 6-1474678-2
[FST-22A-20V2](#)




TE Part # 5-1437187-6
[FST-22A-10](#)



TE Part # 1-1437187-8
[FST-22.5A-10](#)



TE Part # 8-1437187-6
[FST-22A-8](#)




TE Part # 6-1437187-3
[FST-22A-17](#)




TE Part # 6-1437187-1
[FST-22A-15](#)= FS STD



TE Part # 6-1437187-7
[FST-22A-20](#)




TE Part # 8-1437187-3
[FST-22A-6V6](#)



TE Part # 1437187-8
[FST-22.38A-13](#)= FS STD



TE Part # 5-1437187-9
[FST-22A-13](#)



TE Part # 6-1437187-4
[FST-22A-18](#)

FST-22A-5

Wire-to-Board, 5 Position, 2.54 mm [.1 in] Centerline, 50.8 mm [2 in] Length, Printed Circuit Board, FLEXSTRIP FSN, Wire-to-Board Jumpers & Shunts





TE Part # 3-1437187-2
FST-22.5A-30



TE Part # 3-1437187-5
FST-22.5A-4= FS STD




TE Part # 7-1437187-2
FST-22A-25




TE Part # 7-1437187-7
FST-22A-3

Also in the Series | FLEXSTRIP FSN



Board-to-Board Jumpers & Shunts(1)



Wire-to-Board Jumpers & Shunts(5)

Customers Also Bought



TE Part #3-330808-8
SOCKET,MIN-SPR W/KO AU SER-1



TE Part #5102160-2
A/L UNIV HDR 14P RA



TE Part #2318229-1
AMPL PLUG, HD22, VERT, 15P, THREADED



TE Part #1658527-4
622-1041LF FEM SOCKT,LEAD FREE



TE Part #2-1393239-3
RT134005



TE Part #6-2176421-3
TLRP 2512 2.0W R060 1% 50PPM 4K RL



TE Part #1-1393223-7
V23061B1007A301=MINISTARKSTROM



TE Part #6-2176087-6
RP 1J 0.166W 332R 0.1% 25PPM 1K RL



TE Part #CAT-C339-SM1
SMD Power Resistor: 7 Watt, 200-2M Ohm



Documents

Product Drawings

FST-22A-5

English

Product Specifications

Product Specification

English

Agency Approvals

UL Report

English