C8D36PF29023 × OBSOLETE

TE Internal #: 8-1437260-0 TE Internal Description: C8D36PF29023=Cardedge Connecto View on TE.com >



Connectors > PCB Connectors > Card Edge Connectors > Standard Edge Connectors



Connector System: Board-to-Board

Number of Positions: 36

Centerline (Pitch): 2.54 mm [.1 in]

Number of Dual Positions: 36

Number of Rows: 2

Features

Product Type Features

Connector SystemBoard-to-BoardConnector & Housing TypeReceptacleConnector & Contact Terminates ToPrinted Circuit BoardConfiguration Features

Number of Positions

36

Number of Dual Positions	36
Number of Rows	2
Connector Contact Load Condition	Fully Loaded
PCB Mount Orientation	Vertical
Electrical Characteristics	
Operating Voltage	400 VDC
Body Features	
Primary Product Color	Black
Contact Features	
PCB Contact Termination Area Plating Material Thickness	2.54 μm[100 μin]
Contact Mating Area Plating Material	Gold (Au)
Contact Retention Within Housing	Without
Contact Base Material	Copper Alloy
PCB Contact Termination Area Plating Material	Tin-Lead
PCB Contact Termination Area Plating Material Finish	Bright

C8D36PF29023=Cardedge Connecto



Contact Type	Socket
Contact Mating Area Plating Material Thickness	.76 µm
Contact Current Rating (Max)	3 A
Termination Features	
Termination Method to PCB	Through Hole - Press-Fit
Termination Post & Tail Length	4.57 mm[.18 in]
Mechanical Attachment	
Mating Retention	Without
PCB Mount Retention Type	Action/Compliant Tail
Mating Alignment	Without
PCB Mount Retention	With
PCB Mount Alignment	Without
Connector Mounting Type	Board Mount
Housing Features	
Centerline (Pitch)	2.54 mm[.1 in]
Housing Material	Thermoplastic

Dimensions

EU RoHS Directive 2011/65/EU	Not Yet Reviewed
For compliance documentation, visit the product page on TE.com>	
Product Compliance	
Packaging Quantity	30
Packaging Method	Package
Packaging Features	
UL Flammability Rating	UL 94V-0
Industry Standards	
Circuit Application	Signal
Operation/Application	
Row-to-Row Spacing	5.08 mm[.2 in]
Connector Height	13.97 mm, 15.49 mm[.55 in][.61 in]
Accepts Card Thickness	1.37 – 1.78 mm[.054 – .07 in]
Card Slot Depth	10.54 mm[.415 in]

C For support call+1 800 522 6752

C8D36PF29023=Cardedge Connecto




EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: DEC 2010 (44) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Customers Also Bought



C8D36PF29023=Cardedge Connecto





Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_8-1437260-0_A_c-8-1437260-0-a.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_8-1437260-0_A_c-8-1437260-0-a.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_8-1437260-0_A_c-8-1437260-0-a.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

Product Specifications Product Specification

English